

M1 1--Continued

Date	Water Level						
1955		1957		1959		1961	
Jan. 22	4.73	Jan. 26	8.70	Jan. 24	7.19	Jan. 28	8.71
Feb. 26	3.68	Feb. 23	7.73	Feb. 28	6.38	Feb. 25	8.24
Mar. 26	4.71	Mar. 23	7.29	Mar. 28	5.06	Mar. 25	4.56
Apr. 23	5.07	Apr. 27	4.76	Apr. 25	5.33	Apr. 22	4.00
May 28	6.69	May 25	5.94	May 23	5.15	May 27	4.45
June 25	7.84	June 22	6.61	June 27	5.57	June 24	6.59
July 23	8.59	July 27	7.58	July 25	7.21	July 22	6.66
Aug. 27	9.33	Aug. 24	8.56	Aug. 22	8.22	Aug. 26	6.76
Sept. 24	10.02	Sept. 28	9.60	Sept. 26	8.79	Sept. 23	7.11
Oct. 22	9.93	Oct. 26	9.29	Oct. 24	7.05	Oct. 28	7.24
Nov. 26	8.94	Nov. 23	7.24	Nov. 28	4.97	Nov. 25	7.08
Dec. 24	8.64	Dec. 28	3.51	Dec. 26	4.91	Dec. 23	6.33
1956		1958		1960		1962	
Jan. 28	8.95	Jan. 25	5.58	Jan. 23	4.69	Jan. 27	5.98
Feb. 25	7.43	Feb. 22	6.49	Feb. 27	3.73	Feb. 24	5.43
Mar. 24	6.25	Mar. 22	5.80	Mar. 26	3.69	Mar. 24	5.15
Apr. 28	6.40	Apr. 26	6.95	Apr. 23	3.36	Apr. 28	5.15
May 26	4.88	May 24	7.81	May 28	5.45	May 26	5.91
June 23	6.46	June 28	7.94	June 25	5.70	June 23	7.06
July 28	7.63	July 26	5.22	July 23	6.71	July 28	7.54
Aug. 25	8.21	Aug. 23	4.82	Aug. 27	7.93	Aug. 25	8.28
Sept. 22	8.65	Sept. 27	6.46	Sept. 24	8.45	Sept. 22	8.71
Oct. 27	9.60	Oct. 25	6.72	Oct. 22	8.75	Oct. 27	8.99
Nov. 24	9.70	Nov. 22	6.71	Nov. 26	9.11	Nov. 24	9.14
Dec. 22	9.62	Dec. 27	7.42	Dec. 24	9.32	Dec. 22	9.21

M1 2. City of Plymouth. Plymouth Waterworks. Plymouth, SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 34 N., R. 2 E. Drilled unused artesian well in gravel, diam 16 in, depth 127 ft. Lsd, about 803 ft above msl. MP, 1-in hole in wood platform, 0.50 ft above lsd. Highest water level 17.80 below lsd, Apr. 20, 1960; lowest 22.87 below lsd, Feb. 7, 1957. Records available: 1956-62.

(daily highest water levels from recorder graph)

1956	May 21	21.42	1960	July 25	20.65
Dec. 27	22.09	June 11	22.81	Jan. 25	19.65
1957		July 25	20.91	Feb. 25	19.20
Jan. 30	22.12	Aug. 24	19.91	Mar. 25	19.80
Feb. 25	21.96	Sept. 1	20.28	Apr. 25	18.40
Mar. 25	21.87	Oct. 6	20.66	May 25	19.20
Apr. 25	21.88	Dec. 25	21.10	June 25	19.40
May 14	20.47	1959		July 13	19.90
June 26	21.05	Jan. 25	20.95	Aug. 25	20.65
July 25	21.83	Feb. 25	19.50	Sept. 25	20.80
Aug. 12	e21.46	Mar. 25	20.05	Oct. 25	21.10
Sept. 25	22.08	Apr. 25	19.60	Nov. 25	20.95
Oct. 25	21.79	May 25	19.45	Dec. 25	21.10
Nov. 25	21.30	June 25	19.75	1961	
Dec. 23	h20.30	July 25	19.85	Jan. 25	21.50
1958		Aug. 25	20.70	Feb. 25	20.80
Jan. 25	20.60	Sept. 25	21.20	Mar. 25	19.50
Feb. 4	20.78	Oct. 25	20.75	Apr. 25	18.20
Mar. 25	20.52	Nov. 25	20.15	May 25	19.45
Apr. 25	20.97	Dec. 25	20.20	June 25	19.90

M1 3. Fred Banks. Culver. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 31, T. 32 N., R. 1 E. Drilled unused water-table well in sand, diam 18 in, depth 43 ft. Lsd, about 737 ft above msl. MP, top of casing, 2.25 ft above lsd. Highest water level 7.45 below lsd, Apr. 25, May 2, 1960; lowest 11.25 below lsd, Sept. 28, 1959. Records available: 1957-61. Discontinued.

Date	Water Level						
1957		Oct. 27	9.95	Oct. 26	10.85	Oct. 24	10.65
Nov. 25	9.29	Nov. 24	9.85	Nov. 23	9.95	Nov. 28	10.85
Dec. 23	9.15	Dec. 22	9.85	Dec. 28	9.95	Dec. 26	10.65
1958		1959		1960		1961	
Jan. 27	8.85	Jan. 26	10.15	Jan. 25	9.75	Jan. 23	10.95
Feb. 24	9.45	Feb. 23	9.85	Feb. 22	8.75	Feb. 27	11.05
Mar. 24	9.65	Mar. 23	8.55	Mar. 28	9.25	Mar. 27	9.05
Apr. 28	9.95	Apr. 27	8.45	Apr. 25	7.45	Apr. 24	8.55
May 26	10.35	May 25	8.55	May 23	8.15	May 22	7.95
June 23	8.25	June 22	9.35	June 27	9.15	June 26	9.15
July 28	8.25	July 27	10.15	July 25	9.55	July 24	9.65
Aug. 25	8.75	Aug. 24	11.05	Aug. 22	9.75	Aug. 28	8.15
Sept. 22	9.45	Sept. 28	11.25	Sept. 26	10.25	Sept. 25	8.95

M1 4. Pertic Blueberry Plantation. Lapaz. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 29, T. 35 N., R. 2 E. Drilled unused artesian well in sand, diam 6 in, depth 133 ft. Lsd, about 848 ft above msl. MP, top of casing, 1.95 ft above lsd. Highest water level 41.6 below lsd, Apr. 30, May 6, 7, 1960; lowest 54.2 below lsd, May 16, 1959, May 13, 1960. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957		Jan. 25	44.8	May 25	41.9	Sept. 25	43.4
Aug. 29	44.84	Feb. 25	44.0	June 25	42.1	Oct. 25	43.4
Sept. 25	45.10	Mar. 25	43.4	July 25	42.4	Nov. 25	43.5
Oct. 25	45.26	Apr. 25	42.6	Aug. 25	42.8	Dec. 25	43.2
Nov. 25	45.14	May 25	42.9	Sept. 25	43.1	1962	
1958		June 25	42.9	Oct. 25	43.4	Jan. 25	43.1
Mar. 25	43.92	July 25	43.2	Nov. 25	43.5	Feb. 25	43.2
Apr. 25	44.09	Aug. 25	43.7	Dec. 25	43.6	Mar. 25	43.1
May 26	44.20	Sept. 25	43.9	1961		Apr. 25	42.7
June 6	44.20	Oct. 25	43.4	Jan. 25	44.2	May 25	43.0
July 26	43.95	Nov. 25	43.2	Feb. 19	44.0	June 25	43.3
Aug. 25	43.6	Dec. 25	43.3	Mar. 25	43.6	July 25	43.4
Sept. 18	43.7	1960		Apr. 25	42.8	Aug. 25	44.0
Oct. 25	44.0	Jan. 25	42.9	May 25	42.8	Sept. 25	44.0
Nov. 25	44.0	Feb. 25	42.2	June 25	42.9	Oct. 25	44.5
Dec. 25	44.8	Mar. 25	42.5	July 25	43.2	Nov. 25	44.9
1959		Apr. 25	41.7	Aug. 25	43.3	Dec. 25	44.8

Martin County

Mt 3. John Ketcham. Loogootie. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 12, T. 4 N., R. 5 W. Dug unused water-table well in rock, diam 42 in, depth 32 ft, cribbed with stone. Lsd, about 621 ft above msl. MP, edge of iron opening on top of well, 0.70 ft above lsd. Highest water level 18.02 below lsd, June 2, 1947; lowest 24.27 below lsd, Dec. 26, 1954. Records available: 1944-62.

Mt 3--Continued

Date	Water Level						
1955		1957		Mar. 22	19.83	Mar. 26	19.09
Jan. 23	23.84	Jan. 27	22.89	Apr. 26	20.61	Apr. 23	19.38
Feb. 27	23.46	Feb. 24	22.89	May 24	21.27	May 28	20.94
Mar. 27	20.09	Mar. 24	22.96	June 21	21.35	June 18	20.62
Apr. 24	19.51	Apr. 28	21.28	July 26	21.81	July 23	21.09
May 22	20.77	May 26	19.37	Aug. 23	21.94	Aug. 27	21.53
June 26	21.49	June 23	19.95	Sept. 27	22.11	Sept. 24	21.88
July 25	21.53	July 28	21.33	Oct. 26	22.26	Oct. 22	22.22
Aug. 28	22.24	Aug. 25	21.91	Nov. 22	27.37	Nov. 26	22.38
Sept. 25	22.46	Sept. 29	22.42	Dec. 27	22.34	Dec. 24	22.46
Oct. 23	22.51						1962
Nov. 27	22.43	Jan. 26	20.08	Jan. 24	21.22	Jan. 28	21.21
Dec. 18	22.56	Feb. 23	20.95	Feb. 28	20.72	Feb. 25	20.41
1956		Mar. 23	21.43	Mar. 27	20.62	Mar. 27	19.74
Jan. 22	22.77	Apr. 27	20.32	Apr. 24	20.61	Apr. 22	19.48
Feb. 26	20.88	May 25	19.74	May 22	19.88	May 27	20.36
Mar. 25	19.89	June 22	20.09	June 27	19.25	June 24	21.28
Apr. 22	20.09	July 28	19.75	July 24	20.74	July 22	21.64
May 28	20.48	Aug. 24	20.58	Aug. 28	21.44	Aug. 26	22.09
June 24	21.08	Sept. 28	20.86	Sept. 25	21.93	Sept. 23	23.11
July 22	21.87	Oct. 26	21.55	Oct. 23	22.12	Oct. 14	23.22
Aug. 26	23.09	Nov. 23	21.39	Nov. 27	22.38	Nov. 18	22.38
Sept. 23	22.41	Dec. 22	20.55	Dec. 25	22.33	Dec. 30	22.47
Oct. 28	22.69						
Nov. 25	22.86	Jan. 25	20.28	Jan. 22	22.37		
Dec. 23	22.93	Feb. 22	20.34	Feb. 26	22.32		

Mt 4. John Ketcham. Loogootie. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 12, T. 4 N., R. 5 W. Dug unused well in rock, diam 36 in, depth 14 ft, cribbed with rock. Lsd, about 604 ft above msl. MP, painted arrow on cover, 0.76 ft above lsd. Highest water level 1.95 below lsd, May 26, 1957; lowest dry, Dec. 2, 1956. Records available: 1944-57. Discontinued.

1955		Sept. 25	10.73	May 28	3.26	Jan. 27	4.11
Jan. 23	3.76	Oct. 23	8.69	June 24	4.53	Feb. 24	3.51
Feb. 27	2.95	Nov. 27	3.18	July 22	6.83	Mar. 24	3.76
Mar. 27	2.96	Dec. 18	3.53	Aug. 26	9.82	Apr. 28	3.43
Apr. 24	2.81			Sept. 23	11.33	May 26	1.95
May 22	3.29	Jan. 22	7.66	Oct. 28	12.92	June 23	2.52
June 26	3.31	Feb. 26	2.97	Nov. 11	13.53	July 28	4.18
July 25	3.52	Mar. 25	3.01	Dec. 23	12.90	Aug. 25	7.15
Aug. 28	7.87	Apr. 22	3.52			Sept. 22	9.28

Mt 5. Joe Arvin. Whitfield. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 12, T. 2 N., R. 5 W. Drilled unused artesian well in rock, diam 7 in, depth 143 ft. Lsd, about 565 ft above msl. MP, top of casing, 1.00 ft above lsd. Highest water level 29.0 below lsd, July 19, 20, 1961; lowest 33.26 below lsd, Nov. 17, 1959. Records available: 1958-62.

(daily highest water levels from recorder graph)							
1958		Sept. 25	31.37	1959		Apr. 25	30.56
May 25	31.74	Oct. 25	31.52	Jan. 19	31.30	May 25	30.86
July 25	31.44	Nov. 25	31.63	Feb. 25	31.02	June 25	e31.06
Aug. 3	31.47	Dec. 25	30.95	Mar. 25	30.72	July 25	31.56

Mt 5--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Aug. 25	31.86	June 25	30.8	Apr. 25	30.0	Feb. 25	30.4
Sept. 23	h32.37	July 25	30.9	May 25	29.8	Mar. 25	30.1
Oct. 25	31.76	Aug. 25	30.8	June 25	29.5	Apr. 25	29.9
Nov. 25	32.46	Sept. 25	30.8	July 25	29.1	May 25	29.5
Dec. 25 1960	33.06	Oct. 25	31.1	Aug. 25	29.7	June 27	h29.59
		Nov. 23	31.6	Sept. 25	29.9	July 25	29.6
Jan. 25	32.7	Dec. 15	h32.30	Oct. 25	30.1	Aug. 25	29.8
Feb. 25	31.6	1961		Nov. 25	30.8	Sept. 26	h30.14
Mar. 25	32.1	Jan. 25	31.4	Dec. 26	h30.68	Oct. 25	30.6
Apr. 25	31.3	Feb. 25	30.7	1962		Nov. 25	31.1
May 25	31.1	Mar. 25	31.1	Jan. 25	30.5	Dec. 23	31.0

Miami County

Mi 2. U. S. Government. Bunker Hill Air Force Base. Bunker Hill. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 25, T. 26 N., R. 3 E. Drilled unused well in limestone, diam 4 in, reported depth 165 ft. Lsd, about 795 ft above msl. MP, top of casing, 1.00 ft above lsd. Highest water level 29.3 below lsd, July 14, 1958; lowest 55.7 below lsd, July 22, 1960. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957		Sept. 25	40.8	Mar. 21	45.8	Sept. 25	44.5
Apr. 25	37.8	Oct. 27	42.0	Apr. 25	50.8	Oct. 25	44.1
May 28	h30.94	Nov. 25	42.6	May 25	49.0	Nov. 25	43.3
June 26	37.0	Dec. 26	40.6	June 25	47.8	Dec. 25	43.8
July 27	37.0	1959		July 28	53.6	1962	
Aug. 25	39.0	Jan. 18	40.9	Aug. 25	52.1	Jan. 25	47.4
Sept. 25	38.7	Feb. 26	43.0	Sept. 15	45.1	Feb. 25	41.7
Oct. 25	37.8	Mar. 25	41.7	Oct. 25	50.0	Mar. 27	h39.1
Nov. 25	38.0	Apr. 28	38.6	Nov. 25	52.6	Apr. 25	34.0
Dec. 22	35.8	May 26	45.8	Dec. 25	42.0	May 25	44.9
1958		June 25	49.3	1961		June 26	e43.9
Jan. 25	32.2	July 25	46.4	Jan. 25	46.8	July 25	44.5
Feb. 7	33.6	Sept. 25	54.4	Feb. 21	54.0	Aug. 25	45.8
Mar. 21	36.1	Oct. 25	50.6	Mar. 25	50.9	Sept. 25	h47.4
Apr. 25	31.4	Nov. 23	49.5	Apr. 25	e48.8	Oct. 25	45.9
May 23	35.3	Dec. 20	48.5	May 25	45.7	Nov. 27	h44.9
June 25	34.0	1960		June 27	41.5	Dec. 25	43.1
July 25	37.1	Jan. 24	47.2	July 25	43.0		
Aug. 6	39.9	Feb. 10	43.6	Aug. 25	41.0		

Mi 5. U. S. Government. Bunker Hill Air Force Base. Bunker Hill. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 11, T. 25 N., R. 3 E. Drilled unused well in limestone, diam 4 in, depth 133.5 ft. Lsd, about 808 ft above msl. MP, 1-in hole in recorder platform, 2.45 ft above lsd. Highest water level 16.40 below lsd, May 2, 3, 1961; lowest 27.65 below lsd, Feb. 1, 1961. Records available: 1960-62.

(daily highest water levels from recorder graph)

1960		Nov. 25	22.75	Feb. 15	24.70	June 25	22.55
Aug. 25	20.09	Dec. 25	24.85	Mar. 19	19.05	July 17	23.60
Sept. 26	e23.00	1961		Apr. 16	18.25	Aug. 25	21.00
Oct. 25	22.35	Jan. 30	25.25	May 8	16.90	Sept. 17	22.85

Mi 5--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1962		June 26	h24.06	Sept. 17	23.45	Dec. 10	h24.52
Apr. 26	e20.35	July 25	20.75	Oct. 25	23.75		
May 28	h22.48	Aug. 25	23.90	Nov. 25	23.65		

Monroe County

Mr 2. State of Indiana. Morgan-Monroe State Forest. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 13, T. 10 N., R. 1 W. Dug unused well in limestone, diam 42 in, depth 27 ft, cribbed with stone. Lsd, about 875 ft above msl. MP, sharp edge of top course stone on north side, 0.40 ft below lsd. Highest water level 4.65 below lsd, Jan. 3, 1950; lowest 26.50 below lsd, Sept. 23, 1954. Records available: 1944-57. Discontinued.

1955		Aug. 12	24.51	June 22	22.00	Jan. 21	17.85
Jan. 28	23.10	Dec. 23	20.85	July 20	23.89	Feb. 22	19.75
Feb. 25	17.65	1956		Aug. 31	18.25	Mar. 8	16.55
Mar. 25	19.37	Feb. 24	16.94	Sept. 21	23.45	Apr. 24	9.85
May 13	20.91	Mar. 23	17.02	Oct. 4	25.15	May 20	15.05
June 24	21.14	Apr. 28	18.29	Dec. 27	24.05	June 21	15.55
July 29	23.68	May 25	21.25	1957		July 25	15.55

Mr 3. Dustin McDonald. Sandford. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 7 N., R. 2 W. Dug unused well, diam 36 in, depth 29 ft, cribbed with stone. Lsd, about 815 ft above msl. MP, edge of stone on top course, 0.00 ft lsd. Highest water level 10.60 below lsd, Apr. 8, 1951; lowest 27.44 below lsd, Feb. 27, 1945. Records available: 1944-56. Discontinued.

1955		July 25	23.56	1956		June 25	21.59
Jan. 24	26.66	Aug. 24	24.40	Jan. 26	25.90	July 25	23.07
Feb. 25	26.71	Sept. 25	25.12	Feb. 24	23.04	Aug. 25	24.01
Mar. 29	20.00	Oct. 25	25.55	Mar. 25	21.41	Sept. 24	h24.57
Apr. 16	16.70	Nov. 25	25.50	Apr. 25	21.39	Oct. 22	h24.90
June 30	22.70	Dec. 7	25.54	May 29	18.39	Nov. 15	25.19

Mr 4. Dustin McDonald. Sandford. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 7, T. 7 N., R. 2 W. Drilled unused well in rock, diam 6 in, depth 59 ft. Lsd, about 815 ft above msl. MP, top of recorder base, 2.22 ft above lsd. Highest water level 14.60 below lsd, May 16, 1961; lowest 27.70 below lsd, Nov. 30, 1954. Records available: 1953-62.

1955		Sept. 25	25.34	May 29	20.18	Jan. 25	24.49
Jan. 24	27.01	Oct. 25	25.76	June 25	22.12	Feb. 8	h25.20
Feb. 25	27.54	Nov. 25	26.04	July 25	23.56	Oct. 25	25.19
Mar. 29	20.38	Dec. 25	26.20	Aug. 25	24.56	Nov. 24	h25.46
Apr. 25	19.15	1956		Sept. 25	25.05	Dec. 27	h19.58
May 24	22.29	Jan. 26	26.63	Oct. 25	25.59	1958	
June 24	22.51	Feb. 24	24.43	Nov. 22	25.74	Jan. 26	h19.74
July 25	23.74	Mar. 25	22.08	Dec. 25	26.07	Feb. 25	21.92
Aug. 24	24.59	Apr. 25	21.93	1957		Mar. 24	21.73

Mr 4--Continued

Date	Water Level						
Apr. 25	20.71	July 25	21.41	Oct. 25	23.50	1962	
May 23	h17.94	Aug. 24	22.45	Nov. 25	23.98	Jan. 27	h22.48
June 24	18.89	Sept. 25	23.10	Dec. 25	24.31	Feb. 24	h23.40
July 25	16.98	Oct. 24	23.15	1961		Mar. 25	17.90
Aug. 25	19.73	Nov. 25	23.70	Jan. 25	24.85	Apr. 25	19.63
Sept. 25	21.66	Dec. 25	24.25	Feb. 25	24.47	May 25	20.65
Oct. 25	22.59	1960		Mar. 24	18.93	June 25	h21.82
Nov. 25	22.98	Jan. 25	22.90	Apr. 25	18.86	July 25	h22.46
Dec. 25	23.42	Feb. 21	20.93	May 25	16.13	Aug. 25	h23.10
1959		Mar. 26	e20.13	June 25	18.29	Sept. 25	23.45
Jan. 26	17.60	Apr. 25	20.41	July 25	20.17	Oct. 25	23.94
Feb. 25	15.68	May 25	20.65	Aug. 25	21.43	Nov. 25	24.35
Mar. 25	17.39	June 25	16.99	Sept. 25	22.31	Dec. 25	24.33
Apr. 25	18.23	July 25	20.13	Oct. 25	23.01		
May 25	18.39	Aug. 25	21.76	Nov. 26	23.45		
June 28	19.66	Sept. 25	22.78	Dec. 24	23.62		

Montgomery County

My 1. Byron Banta. Waveland. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 36, T. 17 N., R. 6 W. Dug unused water-table well in glacial drift, diam 36 in, depth 18 ft, cribbed with brick. On Aug. 25, 1955, an 8-in steel casing was set to a depth of 18 ft and well backfilled with crushed rock. Lsd, about 765 ft above msl. MP, inner manhole ring at painted arrow, 1.16 ft above lsd. Highest water level 2.78 below lsd, Jan. 4, 1950; lowest 15.45 below lsd, Nov. 16, 1940. Records available: 1935-62.

(2 a.m. water levels from recorder graph, 1955-56; daily highest, 1957-62)							
1955		Oct. 25	13.51	July 25	8.42	Apr. 25	9.73
Jan. 25	10.05	Nov. 25	12.33	Aug. 25	8.56	May 25	9.36
Feb. 25	9.46	Dec. 25	9.37	Sept. 25	e9.25	June 25	6.52
Mar. 21	8.57	1957		Oct. 25	10.87	July 25	10.40
Apr. 25	7.41	Jan. 25	7.76	Nov. 25	7.38	Aug. 25	11.42
May 25	9.77	Feb. 25	9.28	Dec. 25	10.23	Sept. 25	11.99
June 25	9.98	Mar. 25	9.04	1959		Oct. 25	12.58
July 25	11.78	Apr. 25	6.73	Jan. 25	7.94	Nov. 25	11.45
Aug. 24	13.12	May 25	7.16	Feb. 25	7.35	Dec. 25	11.03
Sept. 25	14.50	June 24	8.07	Mar. 25	8.08	1961	
Oct. 25	12.24	July 25	9.88	Apr. 25	9.30	Jan. 25	10.39
Nov. 25	9.02	Aug. 25	11.10	May 25	9.57	Feb. 25	9.74
Dec. 25	10.08	Sept. 25	11.69	June 25	10.54	Mar. 25	6.76
1956		Oct. 25	10.37	July 25	12.13	Apr. 25	4.42
Jan. 25	11.24	Nov. 21	8.52	Aug. 26	12.63	May 25	9.12
Feb. 29	6.90	Dec. 25	5.76	Sept. 25	13.33	June 25	9.92
Mar. 25	8.13	1958		Oct. 25	11.86	July 25	11.28
Apr. 25	9.34	Jan. 20	9.48	Nov. 25	11.03	Aug. 26	11.98
May 25	9.79	Feb. 25	9.52	Dec. 25	10.71	Sept. 25	12.14
June 25	10.40	Mar. 25	9.58	1960		Oct. 25	11.74
July 25	10.52	Apr. 25	9.55	Jan. 25	9.32	Nov. 25	9.97
Aug. 25	11.64	May 25	8.95	Feb. 25	8.92	Dec. 25	9.39
Sept. 25	12.50	June 20	e8.50	Mar. 25	8.31	1962	

My 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Jan. 25	8.89	Apr. 25	9.39	July 25	7.03	Oct. 25	9.33
Feb. 25	8.65	May 25	9.43	Aug. 25	11.28	Nov. 25	9.93
Mar. 25	6.46	June 25	10.17	Sept. 25	10.67	Dec. 25	11.24

My 4. Mrs. W. L. Glenn Estate, Waveland. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 13, T. 17 N., R. 6 W. Dug unused well in glacial drift, diam 36 in, depth 21 ft, cribbed with stone. Lsd, about 696 ft above msl. MP, 1-in hole in platform, 0.70 ft above lsd. Highest water level 1.33 below lsd, Apr. 4, 1938; lowest 17.33 below lsd, Oct. 15, 1940. Records available: 1935-57. Discontinued.

(2 a.m. water levels from recorder graph)

1955		Oct. 25	12.90	July 25	6.00	Apr. 26	2.73
Jan. 25	13.42	Nov. 25	11.81	Aug. 25	7.95	May 30	2.86
Feb. 25	13.22	Dec. 25	11.33	Sept. 25	9.02	June 25	3.53
Mar. 25	12.73	1956		Oct. 25	9.80	July 25	4.80
Apr. 25	12.36	Jan. 25	12.28	Nov. 25	10.31	Aug. 25	6.13
May 25	12.53	Feb. 25	7.58	Dec. 14	10.58	Sept. 25	7.38
June 25	12.11	Mar. 25	3.88	1957		Oct. 1	7.59
July 25	13.10	Apr. 25	4.96	Jan. 25	10.72		
Aug. 19	14.00	May 25	5.94	Feb. 22	10.22		
Sept. 25	15.34	June 25	4.72	Mar. 25	7.94		

My 5. Indiana Gas and Water Co. Crawfordsville. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 19 N., R. 4 W. Drilled unused artesian well in sand and gravel, diam 6 in, depth 44.7 ft. Lsd, 685.6 ft. MP, top of casing, 5.50 ft above lsd. Highest water level 4.75 above lsd, Nov. 27, 1958; lowest 7.40 below lsd, May 26, 1962. Records available: 1958-62.

(daily highest water levels from recorder graph)

1958		Oct. 25	+0.65	Dec. 22	0.3	Jan. 25	1.2
Sept. 25	+3.90	Nov. 25	.25	1961		Feb. 25	1.0
Oct. 25	+3.90	Dec. 25	.55	Jan. 25	.8	Mar. 25	1.2
Nov. 25	+4.20	1960		Feb. 25	.3	Apr. 25	1.2
Dec. 25	+4.25	Jan. 25	2.75	Mar. 25	.4	May 25	7.3
1959		Feb. 25	+1.85	Apr. 25	1.6	June 25	2.3
Jan. 15	+3.85	Mar. 25	.85	May 25	1.6	July 26	h1.76
Feb. 16	h+4.04	Apr. 25	+2.3	June 25	+1.3	Aug. 25	4.0
Mar. 25	+3.75	May 25	.1	July 25	.7	Sept. 25	1.5
Apr. 25	+3.55	June 25	.5	Aug. 25	.6	Oct. 25	.0
May 25	+3.85	July 25	.4	Sept. 25	+1.0	Nov. 25	.9
June 25	+1.75	Aug. 25	2.3	Oct. 25	+2.3	Dec. 25	+.4
July 25	+1.15	Sept. 25	.5	Nov. 25	+2.0		
Aug. 25	.95	Oct. 25	1.4	Dec. 25	+3.7		
Sept. 25	1.95	Nov. 25	.6	1962			

My 6. Town of Ladoga. Ladoga. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 18, T. 17 N., R. 3 W. Drilled unused artesian well in siltstone, diam 12 in, depth 180 ft. Lsd, about 820 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 23.65 below lsd, May 9, 1961; lowest 29.70 below lsd, Feb. 4, 1961. Records available: 1959-62.

My 6--Continued

(daily highest water levels from recorder graph)

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1959		Sept. 25	28.75	July 25	26.84	May 25	26.34
Dec. 25	28.13	Oct. 25	29.38	Aug. 25	26.76	June 25	27.03
1960		Nov. 25	29.48	Sept. 25	27.25	July 25	26.27
Jan. 26	27.41	Dec. 29	29.37	Oct. 25	27.36	Aug. 25	27.85
Feb. 25	26.89	1961		Nov. 25	27.29	Sept. 25	27.35
Mar. 25	26.83	Jan. 25	29.33	Dec. 25	27.12	Oct. 25	27.15
Apr. 25	26.96	Feb. 25	29.16	1962		Nov. 17	27.70
May 25	26.89	Mar. 25	26.49	Jan. 25	26.63	Dec. 25	28.30
June 25	25.93	Apr. 25	24.80	Feb. 25	26.45		
July 25	26.55	May 25	25.57	Mar. 25	24.80		
Aug. 25	27.86	June 25	25.42	Apr. 25	26.18		

Morgan County

Mg 3. State of Indiana. Morgan-Monroe State Forest. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 27, T. 11 N., R. 1 E. Drilled unused artesian well in rock, diam 8 in, depth 45 ft. Lsd, about 670 ft above msl. MP, drilled hole in pump base, 0.47 ft above lsd. Highest water level 1.75 below lsd, Dec. 18, 1950; lowest 12.93 below lsd, Sept. 30, 1956. Records available: 1945-62. Discontinued.

1955		Jan. 21	6.93	Dec. 23	6.43	Sept. 22	6.83
Jan. 28	5.62	Feb. 22	5.93	1959		Oct. 27	7.83
Feb. 25	5.99	Mar. 8	7.23	Jan. 22	6.03	Nov. 24	8.03
Mar. 25	5.41	Apr. 24	5.43	Feb. 28	5.83	Dec. 26	7.13
May 13	6.53	May 20	7.13	Mar. 25	5.63	1961	
June 24	6.43	June 21	7.73	Apr. 23	5.63	Jan. 26	6.33
July 29	7.62	July 25	7.73	May 28	5.83	Feb. 23	6.03
Aug. 12	7.92	Sept. 25	7.13	June 25	6.43	Apr. 28	5.47
Oct. 14	6.61	Oct. 25	6.43	July 23	8.43	May 26	5.47
Dec. 23	6.70	Nov. 5	6.23	Aug. 27	7.63	June 30	5.52
1956		Dec. 23	5.23	Sept. 24	7.43	July 22	5.73
Feb. 24	5.90	1958		Oct. 21	6.63	Aug. 12	6.83
Mar. 23	5.97	Jan. 23	5.43	Nov. 24	6.43	Sept. 23	7.43
Apr. 28	6.27	Feb. 25	6.43	Dec. 25	6.03	Oct. 28	8.23
May 25	6.63	Mar. 24	6.03	1960		Nov. 25	7.03
June 22	5.63	Apr. 30	6.73	Jan. 28	6.23	Dec. 1	6.43
July 20	7.53	May 21	6.23	Feb. 25	6.13	1962	
Aug. 31	7.83	June 27	6.43	Mar. 24	6.03	Feb. 26	5.25
Sept. 21	7.03	July 27	6.33	Apr. 28	5.73	Mar. 22	5.10
Oct. 29	9.03	Aug. 22	6.73	May 26	5.63	Apr. 26	6.0
Nov. 26	6.13	Sept. 23	6.43	June 23	4.43	May 10	5.8
Dec. 27	6.13	Oct. 27	6.83	July 28	6.73		
1957		Nov. 28	6.13	Aug. 25	6.93		

Newton County

Ne 3. E. J. Funk and Sons. Kentland. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 16, T. 27 N., R. 9 W. Drilled unused artesian well in gravel and sand, diam 10 in, depth 103 ft. MP, 1-in hole in recorder platform, 1.07 ft above lsd. Highest water level 30.75 below lsd, Apr. 16, 1956; lowest 39.85 below lsd, Sept. 6, 1959. Records available: 1954-62.

(daily highest water levels from recorder graph)

Date	Water Level						
1955		May 26	31.90	Mar. 25	31.30	Apr. 25	31.40
Jan. 25	32.60	June 11	32.45	Apr. 18	e31.10	May 25	34.00
Feb. 25	32.75	July 25	32.80	Aug. 27	35.75	June 25	32.45
Mar. 25	32.05	Aug. 25	33.30	Sept. 25	35.05	July 25	34.30
Apr. 25	31.25	Sept. 25	33.45	Oct. 25	34.40	Aug. 25	34.40
May 24	32.30	Oct. 25	33.40	Nov. 25	33.50	Sept. 25	34.15
June 25	32.10	Nov. 25	32.05	Dec. 25	33.50	Oct. 25	33.60
Nov. 8	33.05	Dec. 25	32.15	1960		Nov. 25	32.95
1956		1958		Jan. 25	32.35	Dec. 25	32.20
Jan. 25	32.00	Jan. 25	31.60	Feb. 25	31.80	1962	
Feb. 25	31.05	Feb. 25	33.20	Mar. 25	32.25	Jan. 27	h35.45
Mar. 25	31.35	Mar. 25	32.60	Apr. 23	e31.30	Feb. 23	h33.02
Apr. 21	31.25	Apr. 25	33.35	May 23	31.25	Mar. 25	31.90
June 19	31.85	May 24	32.90	June 25	31.40	Apr. 25	32.00
July 25	32.50	June 25	31.95	July 26	33.00	May 25	33.20
Aug. 24	33.65	July 25	32.95	Aug. 28	34.60	June 16	h37.28
Sept. 27	33.85	Aug. 25	33.15	Sept. 9	35.55	July 25	h34.88
Oct. 30	33.85	Sept. 25	33.85	Oct. 25	33.90	Aug. 25	34.65
Nov. 24	34.10	Oct. 25	33.70	Nov. 25	33.50	Sept. 22	33.70
Dec. 25	34.50	Nov. 25	32.70	Dec. 23	33.55	Oct. 25	h34.72
1957		Dec. 25	33.05	1961		Nov. 25	33.55
Jan. 9	33.80	1959		Jan. 25	34.05	Dec. 25	33.30
Mar. 21	33.90	Jan. 25	32.25	Feb. 25	33.20		
Apr. 16	33.40	Feb. 25	34.20	Mar. 26	33.40		

Ne 4. Brown Trucking Co. Brook. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 19, T. 28 N., R. 8 W. Drilled unused artesian well in sand and gravel, diam 5 in, depth 114 ft. Lsd, about 650 ft above msl. MP, top of recorder platform, 2.20 ft above lsd. Highest water level 6.15 below lsd, June 16, 1958; lowest 16.5 below lsd, Feb. 22, 1957. Records available: 1954-61. Discontinued.

(daily highest water levels from recorder graph)

1955		Nov. 13	13.3	1958		Jan. 17	10.4
Feb. 24	9.9	1957		Jan. 25	8.5	Feb. 25	8.9
Aug. 25	11.5	Jan. 25	13.4	Feb. 25	9.3	Mar. 25	8.3
Nov. 8	11.2	Feb. 25	13.1	Mar. 26	9.4	Apr. 25	8.1
1956		Mar. 18	12.7	Apr. 22	9.3	May 25	e8.7
Jan. 25	11.0	Apr. 25	8.7	May 17	10.2	June 7	10.0
Feb. 25	9.7	May 23	8.5	June 23	6.3	July 29	e11.3
Mar. 25	9.1	June 25	9.4	July 25	8.4	Aug. 25	12.2
Apr. 24	9.2	July 25	8.1	Aug. 25	9.8	Sept. 25	13.0
June 17	9.1	Aug. 25	10.3	Sept. 25	10.8	Oct. 25	11.8
July 25	10.6	Sept. 17	11.2	Oct. 24	11.4	Nov. 25	9.1
Aug. 25	12.0	Oct. 23	11.6	Nov. 25	10.8	Dec. 25	9.1
Sept. 28	12.9	Nov. 21	9.7	Dec. 14	10.4	1960	
Oct. 30	13.3	Dec. 25	7.7	1959		Jan. 25	h8.7

No 4--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Feb. 23	h8.2	Aug. 25	11.0	Jan. 19	12.2	July 23	10.5
Mar. 25	9.2	Sept. 25	12.0	Feb. 27	11.8	Aug. 26	10.8
Apr. 25	7.2	Oct. 25	12.3	Mar. 23	9.0	Sept. 25	10.6
May 25	8.4	Nov. 25	12.1	Apr. 25	7.7	Oct. 25	10.1
June 25	7.8	Dec. 25	e12.1	May 25	8.3	Nov. 25	8.3
July 25	e9.9	1961		June 25	9.6	Dec. 12	8.1

No 5. Town of Morocco. Morocco. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 15, T. 29 N., R. 9 W. Drilled unused water-table well in sand and gravel, diam 16 in, depth 49 ft. Lsd, about 670 ft above msl. MP, top of casing, 1.75 ft above lsd. Highest water level 4.80 below lsd, June 10, 1958; lowest 10.10 below lsd, Jan. 25, 26, 28, Feb. 3, 9, 15, 16, 1961. Records available: 1956-62.

(daily highest water levels from recorder graph)

1956		July 25	6.90	Jan. 25	7.95	Aug. 25	8.35
July 25	8.10	Aug. 25	7.50	Feb. 25	7.50	Sept. 25	7.95
Aug. 27	8.20	Sept. 25	8.00	Mar. 25	7.85	Oct. 25	8.35
Sept. 25	8.65	Oct. 25	8.20	Apr. 25	7.30	Nov. 25	7.50
Oct. 16	8.75	Nov. 25	7.75	May 25	7.50	Dec. 25	7.95
1957		Dec. 25	8.15	June 25	7.15	1962	
Jan. 25	8.75	1959		July 25	8.00	Jan. 5	7.80
Feb. 25	8.75	Jan. 21	8.10	Aug. 25	8.35	Feb. 25	7.65
Mar. 25	8.85	Feb. 25	6.90	Sept. 25	8.65	Mar. 25	6.50
Apr. 24	e6.65	Mar. 25	7.25	Oct. 25	9.00	Apr. 25	7.25
June 24	6.95	Apr. 25	7.45	Nov. 25	8.95	May 25	6.75
July 25	6.70	May 25	7.10	Dec. 25	9.15	June 27	h7.36
Aug. 21	7.70	June 25	7.75	1961		July 25	6.80
Sept. 25	8.15	July 25	7.70	Jan. 25	9.30	Aug. 25	7.95
Oct. 12	8.55	Aug. 25	8.45	Feb. 25	9.00	Sept. 25	8.30
1958		Sept. 25	e8.85	Mar. 25	8.05	Oct. 25	7.45
Mar. 25	7.60	Oct. 25	8.25	Apr. 26	7.40	Nov. 25	8.05
Apr. 25	7.85	Nov. 25	7.95	May 25	8.00	Dec. 25	8.50
May 25	8.10	Dec. 25	8.15	June 25	8.20		
June 25	6.45	1960		July 25	8.55		

Noble County

No 5. Rolla Becker. Albion. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 13, T. 34 N., R. 10 E. Dug unused well in glacial drift, diam 36 to 28 in, depth 29 ft, cribbed with brick. Lsd, about 1,020 ft above msl. MP, top course of brick on south side, 0.50 ft above lsd. Highest water level 0.40 below lsd, Oct. 4, 1954; lowest 9.59 below lsd, Dec. 1, 1953. Records available: 1942-55.

Discontinued.

1955	Jan. 15	3.57	Feb. 15	2.90	Mar. 1	2.27
------	---------	------	---------	------	--------	------

No 6. City of Kendallville. Diamond St. at Bixler Lake, Kendallville, SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 35 N., R. 11 E. Drilled unused well in sand and gravel, diam 6 in, depth 40 ft, cased to 30. Lsd, 967.5 ft above msl. MP, 1-in hole in shelter house base, 2.20 ft above lsd. Highest water level 0.35 below lsd, July 2, 1962; lowest 29.35 below lsd, Nov. 13, 1952. Records available: 1946-62.

No 6--Continued

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		1957		Apr. 25	8.70	Mar. 25	9.20
Jan. 25	8.30	Jan. 25	12.70	May 25	8.90	Apr. 25	10.00
Feb. 25	10.00	Feb. 25	12.85	June 25	7.95	May 25	7.90
Mar. 22	8.50	Mar. 25	13.35	July 25	7.85	June 25	7.70
Apr. 25	8.35	Apr. 22	13.15	Aug. 18	8.05	July 25	7.85
May 25	9.20	June 25	13.50	Sept. 25	8.15	Aug. 25	7.85
June 28	10.65	July 25	14.85	Oct. 25	7.65	Sept. 25	8.30
July 25	11.35	Aug. 29	16.55	Nov. 25	7.55	Oct. 25	7.75
Aug. 25	14.45	Oct. 25	17.00	Dec. 25	7.40	Nov. 25	7.75
Oct. 25	16.30	Nov. 25	17.30	1960		Dec. 24	7.80
Nov. 25	16.85	Dec. 25	16.70	Jan. 25	6.95	1962	
Dec. 12	16.25	1958		Feb. 25	6.60	Jan. 25	h7.78
1956		Jan. 25	16.95	Mar. 25	6.85	Feb. 23	h8.08
Jan. 25	13.15	Feb. 25	16.55	Apr. 25	6.65	Mar. 25	7.55
Feb. 25	12.15	Mar. 25	17.50	May 17	6.90	Apr. 25	7.55
Mar. 25	11.35	Apr. 25	15.80	June 25	7.00	May 25	h8.49
Apr. 25	11.05	May 25	13.40	July 25	7.60	June 23	e5.80
May 25	10.00	June 25	12.05	Aug. 25	8.20	July 25	8.60
June 25	10.90	July 30	h10.94	Sept. 23	8.50	Aug. 24	9.40
July 25	11.40	Aug. 25	e10.60	Oct. 25	8.95	Sept. 25	h9.82
Aug. 25	11.70	Dec. 25	8.10	Nov. 25	9.20	Oct. 25	10.35
Sept. 17	12.25	1959		Dec. 27	8.75	Nov. 23	10.75
Oct. 25	12.70	Jan. 25	7.25	1961		Dec. 25	11.95
Nov. 25	12.15	Feb. 25	7.25	Jan. 24	8.55		
Dec. 25	11.95	Mar. 25	7.20	Feb. 25	8.45		

No 7. Arthur McClellan, Merriam. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 23, T. 33 N., R. 9 E.
 Driven unused well in glacial drift, diam 1 $\frac{1}{4}$ in, depth 29 ft. Lsd, about 935
 ft above msl. MP, top edge of cellarway floor, 3.00 ft above lsd. Highest
 water level 15.90 below lsd, Apr. 16, 1950; lowest 22.52 below lsd, Nov. 24,
 1947. Records available: 1947-62.

1955		Aug. 27	19.86	Mar. 24	20.56	Nov. 23	20.49
Jan. 24	19.11	Sept. 24	20.37	Apr. 28	20.84	Dec. 28	20.51
Feb. 28	19.30	Oct. 22	20.84	May 26	21.00	1960	
Mar. 28	19.34	Nov. 26	21.20	June 23	21.05	Jan. 25	20.40
Apr. 25	19.39	Dec. 24	21.42	July 28	20.99	Feb. 22	19.02
May 23	19.56	1957		Aug. 25	20.90	Mar. 28	19.01
June 27	19.92	Jan. 28	21.59	Sept. 22	20.80	Apr. 25	18.74
July 25	20.17	Feb. 25	21.53	Oct. 27	20.74	May 23	18.68
Aug. 22	20.36	Mar. 25	21.43	Nov. 24	20.89	June 27	18.50
Sept. 26	20.79	Apr. 22	20.82	Dec. 22	20.88	July 25	19.00
Oct. 24	20.87	May 27	19.55	1959		Aug. 22	19.52
Nov. 28	20.13	June 24	19.80	Jan. 26	20.69	Sept. 26	20.12
Dec. 26	20.08	July 22	20.00	Feb. 23	19.00	Oct. 24	20.59
1956		Aug. 26	20.60	Mar. 23	19.36	Nov. 28	20.88
Jan. 23	20.43	Sept. 23	20.71	Apr. 27	18.60	Dec. 26	21.10
Feb. 27	20.06	Oct. 28	21.14	May 25	18.84	1961	
Mar. 26	19.87	Nov. 25	21.37	June 22	19.36	Jan. 23	21.42
Apr. 23	19.83	Dec. 23	21.22	July 27	19.72	Feb. 27	21.60
May 28	17.97	1958		Aug. 24	20.19	Mar. 27	21.07
June 25	18.56	Jan. 27	20.41	Sept. 28	20.40	Apr. 24	20.39
July 23	19.30	Feb. 24	20.60	Oct. 26	20.51	May 22	19.67

No 7--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
June 26	19.94	Nov. 27	21.47	Mar. 26	20.44	Aug. 27	21.65
July 24	20.33	Dec. 25	21.58	Apr. 23	20.66	Sept. 24	21.91
Aug. 28	20.75	1962		May 28	20.92	Oct. 22	22.13
Sept. 25	21.07	Jan. 22	21.52	June 25	21.14	Nov. 26	22.31
Oct. 23	21.23	Feb. 26	21.12	July 23	21.38	Dec. 24	22.45

Ohio County

Oh 1. Arthur H. Hannah. Aberdeen. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 16, T. 3 N., R. 2 W.
 Dug unused well, diam 48 in, depth 39 ft, cribbed with stone. Lsd, about 850
 ft above msl. MP, edge of rock on west side, 0.51 ft below lsd. Highest
 water level 0.63 below lsd, Mar. 3, 1945; lowest 20.28 below lsd, Nov. 21,
 1953. Records available: 1944-62.

1955		1957		1959		1961	
Jan. 22	16.69	Jan. 26	10.03	Jan. 24	5.27	Jan. 28	12.58
Feb. 26	10.62	Feb. 23	8.26	Feb. 28	3.82	Feb. 27	10.61
Mar. 26	4.51	Mar. 23	6.59	Mar. 28	3.57	Mar. 25	7.52
Apr. 23	3.41	Apr. 27	5.58	Apr. 25	3.93	Apr. 22	5.58
May 28	4.62	May 26	5.46	May 23	5.26	May 27	4.39
June 25	7.48	June 22	6.39	June 27	8.27	June 24	3.93
July 23	8.97	July 27	8.68	July 25	10.23	July 22	6.07
Aug. 27	13.13	Aug. 24	10.02	Aug. 22	11.11	Aug. 26	8.77
Sept. 24	13.71	Sept. 28	11.11	Sept. 26	11.93	Sept. 23	11.34
Oct. 22	13.78	Oct. 26	11.22	Oct. 24	12.35	Oct. 28	12.87
Nov. 26	8.47	Nov. 23	10.55	Nov. 28	12.28	Nov. 25	13.36
Dec. 24	7.09	Dec. 28	9.66	Dec. 26	11.23	Dec. 23	13.19
1956		1958		1960		1962	
Jan. 30	4.94	Jan. 25	7.19	Jan. 23	9.57	Jan. 29	12.61
Feb. 25	2.48	Feb. 22	8.09	Feb. 27	7.57	Feb. 25	10.24
Mar. 24	1.80	Mar. 22	7.31	Mar. 27	6.48	Mar. 24	9.04
Apr. 28	3.14	Apr. 26	5.88	Apr. 23	5.84	Apr. 28	6.71
May 26	4.81	May 24	5.87	May 21	6.87	May 28	8.24
June 30	6.23	June 28	7.10	June 25	7.19	June 23	9.11
July 28	7.35	July 26	7.91	July 23	7.91	July 28	9.99
Aug. 25	8.34	Aug. 23	8.47	Aug. 27	11.17	Aug. 25	11.76
Sept. 22	9.39	Sept. 27	9.21	Sept. 24	11.69	Sept. 22	12.14
Oct. 27	9.81	Oct. 25	9.57	Oct. 22	11.97	Oct. 27	12.13
Nov. 24	11.47	Nov. 22	9.87	Nov. 26	12.63	Nov. 24	13.08
Dec. 22	11.73	Dec. 27	9.46	Dec. 24	12.91	Dec. 22	12.86

Orange County

Or 1. Leroy Foutch, Jr. Millersburg. SE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 7, T. 1 N., R. 2 E.
 Dug unused well in clay and rock, diam 36 in, depth 36 ft. Lsd, about 900 ft
 above msl. MP, painted arrow on southwest side, 0.00 ft lsd. Highest water
 level 0.13 below lsd, Apr. 28, 1948; lowest 18.91 below lsd, Oct. 23, 1954.
 Records available: 1944-58. Discontinued.

1955	Mar. 26	2.39	June 25	5.52	Sept. 24	9.88	
Jan. 22	8.66	Apr. 23	2.39	July 23	7.68	Oct. 22	10.72
Feb. 26	.79	May 28	3.83	Aug. 27	8.88	Nov. 26	11.03

Or 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Dec. 24 1956	6.38	Sept. 22	9.08	June 22	3.73	Mar. 22	0.90
		Oct. 27	10.22	July 27	6.09	Apr. 5	.88
Jan. 28	1.08	Nov. 24	12.08	Aug. 24	6.22	May 24	1.25
Feb. 25	1.04	Dec. 22	12.08	Sept. 28	6.62	June 28	5.11
Mar. 24	2.46	1957		Oct. 26	9.22	July 26	5.82
Apr. 28	2.08	Jan. 26	8.08	Nov. 25	3.39	Aug. 23	5.07
May 26	3.79	Feb. 23	3.08	Dec. 28	1.37	Oct. 25	3.22
June 23	4.81	Mar. 25	.82	1958			
July 28	6.68	Apr. 27	3.13	Jan. 25	1.90		
<u>Aug. 25</u>	<u>8.18</u>	<u>May 27</u>	<u>.19</u>	<u>Feb. 22</u>	<u>1.84</u>		

Owen County

Ow 2. U. S. Corps of Engineers. Cagles Mill Reservoir. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 35, T. 12 N., R. 4 W. Drilled unused well in limestone, diam 6 in, depth 96 ft. Lsd, about 680 ft above msl. MP, top of casing, 0.00 ft lsd. Highest water level 6.74 below lsd, Jan. 15, 1950; lowest 28.30 below lsd, Nov. 1, 1954.

Records available: 1946-58. Discontinued.

1955		Nov. 22	24.05	Sept. 27	24.65	July 23	24.06
Jan. 24	26.40	Dec. 27	26.23	Oct. 24	24.68	Aug. 27	24.44
Feb. 28	26.15	1956		Nov. 28	24.65	Sept. 25	24.53
Mar. 28	26.20	Jan. 23	26.25	Dec. 26	24.43	Oct. 23	24.53
Apr. 25	26.15	Feb. 29	24.03	1957		Nov. 29	24.36
May 23	24.07	Mar. 26	24.19	Jan. 22	24.47	Dec. 23	24.16
June 28	24.49	Apr. 23	24.33	Feb. 28	24.40	1958	
July 25	24.48	May 28	24.08	Mar. 28	24.35	Jan. 22	16.30
Aug. 22	24.73	June 25	24.33	Apr. 24	24.18	Feb. 27	18.95
Sept. 28	26.74	July 23	24.26	May 28	24.04	Mar. 26	17.97
<u>Oct. 26</u>	<u>26.32</u>	<u>Aug. 23</u>	<u>24.61</u>	<u>June 24</u>	<u>24.16</u>		

Ow 5. David R. Bronson. Cunot. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 30, T. 12 N., R. 4 W. Dug unused artesian well in sandy clay, diam 26 in, depth 19 ft, cribbed with stone. On June 25, 1958, an 8-in slotted steel casing was set to a depth of 17 ft and well backfilled with coarse gravel. Lsd, about 780 ft above msl. MP, top of 8-in casing, 1.62 ft above lsd. Highest water level 0.26 below lsd, Mar. 21, 1962; lowest 13.72 below lsd, Feb. 23, 1954. Records available: 1946-62.

(daily highest water levels from recorder graph, Oct. 20, 1958-Dec. 31, 1962)							
1955		Jan. 18	7.96	Mar. 27	1.36	Mar. 26	4.03
Jan. 18	3.71	Feb. 21	2.46	Apr. 24	1.88	Apr. 16	2.66
Feb. 16	5.46	Mar. 19	1.96	May 22	1.45	May 22	2.70
Mar. 22	1.62	Apr. 25	3.46	June 26	3.58	June 24	1.61
Apr. 26	1.41	May 11	3.96	July 24	6.26	July 22	3.72
May 11	3.96	June 29	6.65	Aug. 28	8.56	Aug. 26	3.15
June 14	2.56	July 27	8.46	Sept. 25	9.60	Sept. 23	6.97
July 27	7.86	Aug. 28	9.46	Oct. 30	10.36	Oct. 25	6.99
Aug. 9	8.63	Sept. 26	9.71	Nov. 27	4.36	Nov. 25	2.11
Sept. 21	10.21	Oct. 24	10.86	Dec. 26	1.06	Dec. 25	5.61
Nov. 16	5.46	Nov. 21	11.01	1958		1959	
Dec. 21	2.96	1957		Jan. 22	2.85	Jan. 25	2.55
1956		Feb. 27	2.10	Feb. 27	6.34	Feb. 25	1.35

Ow 5--Continued

Date	Water Level						
Mar. 25	2.09	Mar. 25	1.41	Mar. 15	10.88	Mar. 25	0.95
Apr. 25	1.96	Apr. 25	4.07	Apr. 25	.34	Apr. 25	2.16
May 25	1.97	May 25	1.38	May 25	2.48	May 25	4.27
June 25	5.45	June 25	1.70	June 25	6.19	June 25	5.69
July 25	8.35	July 25	6.96	July 25	8.88	July 17	h8.34
Aug. 25	9.16	Aug. 25	8.72	Aug. 25	e9.82	Aug. 25	9.61
Sept. 25	9.86	Sept. 25	9.59	Sept. 25	10.64	Sept. 25	e10.22
Oct. 25	10.38	Oct. 25	10.28	Oct. 25	11.35	Oct. 25	10.83
Nov. 25	9.77	Nov. 25	10.98	Nov. 26	h12.01	Nov. 25	11.61
Dec. 25	4.22	Dec. 21	11.45	Dec. 25	e2.99	Dec. 24	e12.33
1960		1961		1962			
Jan. 25	2.74	Jan. 24	11.97	Jan. 25	1.99		
Feb. 25	2.66	Feb. 16	12.25	Feb. 25	1.03		

Parke County

Pa 2. Ohio Oil Co. Catlin. NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 1, T. 14 N., R. 8 W. Drilled unused artesian (?) well in sand and gravel, diam 8 to 6 in, depth 36.5 ft. Lsd, 532.0 ft above msl. MP, top of recorder platform, 1.91 ft above lsd. Highest water level 1.4 above lsd, Feb. 5, 6, 1960; lowest 8.5 below lsd, Feb. 4, 5, Mar. 14, 15, 1961. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957		Aug. 25	2.6	Feb. 25	2.4	Sept. 25	7.0
Feb. 17	5.29	Sept. 25	2.1	Mar. 25	1.1	Oct. 24	7.3
Mar. 25	1.80	Oct. 25	5.9	Apr. 25	4.5	Nov. 25	1.5
Apr. 25	2.0	Nov. 25	.1	May 25	1.2	Dec. 17	1.4
May 24	e.2	Dec. 25	5.9	June 25	.6	1962	
June 24	h2.95	1959		July 25	5.6	Jan. 15	.3
July 25	4.7	Jan. 25	2.8	Aug. 25	6.8	Feb. 25	.6
Aug. 25	6.2	Feb. 27	.2	Sept. 25	7.5	Mar. 25	.5
Sept. 25	6.9	Mar. 25	1.1	Oct. 25	7.9	Apr. 25	2.0
Oct. 25	6.6	Apr. 25	1.7	Nov. 25	8.2	May 24	3.7
Nov. 26	5.4	May 16	2.7	Dec. 22	8.3	June 25	6.0
Dec. 25	.0	June 25	4.4	1961		July 25	5.8
1958		July 25	5.1	Jan. 25	8.2	Aug. 25	6.8
Jan. 25	1.8	Aug. 25	5.5	Feb. 25	7.8	Sept. 25	6.3
Feb. 25	6.0	Sept. 25	5.9	Mar. 25	.7	Oct. 25	7.2
Mar. 25	2.0	Oct. 25	5.8	Apr. 25	.0	Nov. 25	7.5
Apr. 25	2.7	Nov. 25	5.5	May 25	2.5	Dec. 25	7.9
May 25	6.4	Dec. 25	5.0	June 25	5.3		
June 25	1.6	1960		July 25	6.3		
July 25	5.7	Jan. 25	2.5	Aug. 25	6.8		

Pa 3. F. T. Moore. Montezuma. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 25, T. 16 N., R. 9 W. Drilled unused artesian well in sand and gravel, diam 12 in, depth 124 ft. Lsd, 514.3 ft above msl. MP, top of casing, 1.65 ft above lsd. Highest water level 36.55 below lsd, Aug. 10-12, 1958; lowest 50.02 below lsd, Feb. 19, 20, 1961. Records available: 1957-62.

Pa 3--Continued

(daily highest water levels from recorder graph)

Date	Water Level						
1957		Nov. 25	42.95	Mar. 24	45.62	Aug. 25	43.64
July 25	38.64	Dec. 25	43.26	Apr. 13	45.41	Sept. 25	45.36
Aug. 25	40.36	1959		May 21	44.12	Oct. 25	46.56
Sept. 25	42.69	Jan. 25	e43.62	June 25	43.05	Nov. 25	47.34
Oct. 25	44.54	Feb. 25	38.23	July 25	42.41	Dec. 25	47.62
Nov. 25	45.30	Mar. 25	38.16	Aug. 25	43.85	1962	
Dec. 25	43.71	Apr. 26	38.95	Sept. 28	e45.76	Jan. 25	46.60
1958		May 27	38.98	Oct. 25	e47.09	Feb. 25	42.32
Jan. 25	41.64	June 23	40.70	Nov. 25	48.25	Mar. 25	39.83
Feb. 25	42.77	July 26	43.08	Dec. 25	49.04	Apr. 25	39.62
Mar. 25	43.88	Aug. 25	44.94	1961		May 25	40.88
Apr. 25	44.86	Sept. 25	46.55	Jan. 25	49.65	June 25	41.99
May 25	45.37	Oct. 25	47.46	Feb. 25	49.95	July 25	42.31
June 25	39.89	Nov. 25	47.87	Mar. 16	49.24	Aug. 22	h43.33
July 25	37.68	Dec. 25	47.98	Apr. 25	45.40	Sept. 25	45.10
Aug. 25	36.82	1960		May 25	39.63	Oct. 25	46.55
Sept. 25	38.97	Jan. 25	47.44	June 25	40.18	Nov. 25	e47.70
Oct. 25	e41.42	Feb. 25	45.73	July 25	42.10	Dec. 25	e48.55

Pa 4. U. S. Corps of Engineers. Mansfield. NW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 27, T. 15 N., R. 16 W. Drilled unused artesian well in limestone, diam 6 in, depth 111.7 ft. Lsd, 748.7 ft above msl. MP, top of platform, 2.09 ft above lsd. Highest water level 46.83 below lsd, Nov. 15, 19, 1961; lowest 48.77 below lsd, Sept. 23, 24, 1961. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957		Nov. 25	47.54	Mar. 25	48.05	Aug. 25	48.54
July 25	47.70	Dec. 25	47.73	Apr. 25	47.98	Sept. 25	48.68
Aug. 25	47.87	1959		May 25	47.82	Oct. 25	47.22
Sept. 25	47.93	Jan. 25	47.70	June 25	47.68	Nov. 19	46.83
Oct. 25	47.87	Feb. 18	47.65	July 24	48.00	Dec. 25	46.94
Nov. 25	47.87	Mar. 25	47.55	Aug. 25	48.23	1962	
Dec. 25	47.69	Apr. 25	47.44	Sept. 25	48.40	Jan. 25	47.43
1958		May 25	47.38	Oct. 25	48.54	Feb. 25	47.85
Jan. 25	47.55	June 25	47.43	Nov. 25	48.48	Mar. 25	47.88
Feb. 25	47.92	July 25	47.76	Dec. 22	48.45	Apr. 25	47.95
Mar. 25	47.84	Aug. 25	47.67	1961		May 25	47.92
Apr. 25	47.89	Sept. 25	47.99	Jan. 25	48.60	June 25	48.02
May 25	47.83	Oct. 25	47.91	Feb. 25	48.53	July 26	e47.96
June 25	47.73	Nov. 27	e47.96	Mar. 25	48.33	Aug. 25	48.41
July 25	47.74	Dec. 25	48.03	Apr. 25	48.15	Sept. 25	48.30
Aug. 25	47.68	1960		May 25	48.06	Oct. 25	48.41
Sept. 25	47.60	Jan. 25	48.08	June 25	48.11	Nov. 25	48.42
Oct. 25	47.70	Feb. 25	48.04	July 25	48.36	Dec. 25	48.50

Pa 5. Glen Crowder. Marshall. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 17, T. 17 N., R. 7 W. Drilled unused artesian well in limestone, diam 6 in, depth 165.6 ft. Lsd, 582.5 ft above msl. MP, top of casing, 2.25 ft below lsd. Highest water level 34.34 below lsd, June 23, 1960; lowest 37.45 below lsd, Sept. 24, 1961. Records available: 1959-62.

Pa 5--Continued

(daily highest water levels from recorder graph)

Date	Water Level						
1959		Mar. 25	36.34	Mar. 25	36.01	Mar. 17	36.15
Apr. 25	36.02	Apr. 25	36.36	Apr. 25	35.12	Apr. 25	36.25
May 25	36.26	May 18	36.36	May 25	36.19	May 25	36.33
June 25	36.50	June 25	35.39	June 25	36.13	June 25	36.55
July 25	36.78	July 25	36.53	July 25	36.44	July 25	35.95
Aug. 26	e36.93	Aug. 25	36.81	Aug. 25	37.03	Aug. 24	36.71
Sept. 25	37.08	Sept. 25	36.99	Sept. 25	e36.95	Sept. 25	36.59
Oct. 25	36.69	Oct. 25	37.13	Oct. 25	36.60	Oct. 25	36.56
Nov. 26	36.62	Nov. 25	36.94	Nov. 25	36.30	Nov. 25	36.48
Dec. 25	36.47	Dec. 30	36.71	Dec. 25	36.21	Dec. 25	36.58
1960		1961		1962			
Jan. 20	36.34	Jan. 25	36.77	Jan. 25	36.07		
Feb. 25	36.30	Feb. 25	36.31	Feb. 25	36.12		

Perry County

Pe 1. John Snyder. Gatchel. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 21, T. 5 S., R. 2 W. Dug unused well, diam 30 in, depth 22 ft, cribbed with stone. Lsd, about 750 ft above msl. MP, painted arrow on cover, 0.05 ft above lsd. Highest water level 0.55 below lsd, Mar. 29, 1959; lowest 19.31 below lsd, Nov. 16, 1952.

Records available: 1944-61. Discontinued.

1955		Feb. 24	5.32	Oct. 26	7.78	May 22	5.41
Jan. 23	3.25	Mar. 24	5.98	Nov. 23	6.74	June 26	5.60
Feb. 27	1.40	Apr. 28	5.98	Dec. 28	7.30	July 24	7.10
Mar. 27	3.75	May 26	7.60	1959		Aug. 28	8.15
Apr. 24	1.35	June 23	4.30	Jan. 25	3.30	Sept. 25	8.55
May 22	1.23	July 28	7.75	Feb. 22	1.29	Oct. 23	8.80
June 26	6.48	Aug. 25	9.15	Mar. 22	.58	Nov. 27	8.60
July 24	7.45	Sept. 22	9.53	Apr. 26	6.60	Dec. 25	7.67
Aug. 28	8.61	Oct. 27	9.00	May 24	2.80	1961	
Sept. 25	8.97	Nov. 24	3.23	June 21	6.99	Jan. 22	5.70
Oct. 23	6.75	Dec. 22	2.75	July 26	4.40	Feb. 26	2.38
Nov. 27	5.97	1958		Aug. 23	7.05	Mar. 26	2.64
Dec. 25	7.00	Jan. 26	2.30	Sept. 27	7.68	Apr. 23	1.25
1956		Feb. 23	5.60	Oct. 25	7.30	May 28	6.04
Jan. 15	7.53	Mar. 23	3.66	Nov. 22	5.97	June 25	7.30
Sept. 23	9.55	Apr. 27	3.20	Dec. 27	4.07	July 23	4.14
Oct. 28	10.66	May 25	5.90	1960		Aug. 27	7.50
Nov. 25	9.10	June 22	7.10	Jan. 24	3.74	Sept. 24	8.00
Dec. 23	8.05	July 27	4.17	Feb. 28	2.53	Oct. 22	8.10
1957		Aug. 24	6.55	Mar. 27	2.92	Nov. 26	4.64
Jan. 27	4.75	Sept. 28	6.70	Apr. 24	4.68	Dec. 24	3.30

Pe 2. Ralph C. James. Gatchel. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 22, T. 5 S., R. 2 W. Drilled unused artesian well in rock, diam 6 in, reported depth 316 ft. Lsd, about 780 ft above msl. MP, top of casing on west side, 0.30 ft above lsd. Highest water level 19.45 below lsd, Dec. 6, 1959; lowest 50.60 below lsd, Dec. 6, 1953. Records available: 1952-62.

Pe 2--Continued

Date	Water Level						
1955		1957		1959		1961	
Jan. 23	34.61	Jan. 27	31.90	Jan. 25	28.69	Jan. 22	29.40
Feb. 27	33.26	Feb. 24	31.80	Feb. 22	49.38	Feb. 26	28.86
Mar. 27	42.45	Mar. 24	30.97	Mar. 22	38.64	Mar. 26	27.80
Apr. 24	32.20	Apr. 28	30.97	Apr. 26	27.10	Apr. 23	36.72
May 22	32.50	May 26	30.35	May 24	28.10	May 28	25.50
June 26	31.80	June 23	30.50	June 21	27.59	June 25	25.90
July 24	32.20	July 28	28.90	July 26	27.10	July 23	26.30
Aug. 28	32.34	Aug. 25	29.50	Aug. 23	27.29	Aug. 27	26.37
Sept. 25	32.67	Sept. 22	29.72	Sept. 27	28.40	Sept. 24	26.77
Oct. 23	33.10	Oct. 27	30.40	Oct. 25	27.47	Oct. 22	27.18
Nov. 27	31.80	Nov. 24	30.30	Nov. 22	27.97	Nov. 26	27.80
Dec. 25	32.00	Dec. 22	29.75	Dec. 27	27.97	Dec. 24	27.70
1956		1958		1960		1962	
Jan. 22	31.93	Jan. 24	28.73	Jan. 24	26.50	Jan. 28	27.17
Feb. 26	31.75	Feb. 23	29.50	Feb. 28	31.84	Feb. 25	27.50
Mar. 25	31.45	Mar. 23	29.97	Mar. 27	31.08	Mar. 25	25.47
Apr. 22	31.33	Apr. 27	29.30	Apr. 24	28.14	Apr. 22	24.94
May 27	30.80	May 25	28.00	May 22	27.45	May 27	24.93
June 24	29.40	June 22	28.20	June 26	29.50	June 24	24.96
July 22	31.00	July 27	27.80	July 24	28.00	July 22	24.90
Aug. 26	31.35	Aug. 24	27.75	Aug. 28	30.03	Aug. 26	24.70
Sept. 23	31.30	Sept. 28	27.75	Sept. 25	31.90	Sept. 23	26.49
Oct. 28	30.77	Oct. 26	29.20	Oct. 23	32.39	Oct. 28	26.78
Nov. 25	31.10	Nov. 23	28.79	Nov. 27	31.96	Nov. 25	27.14
Dec. 23	31.72	Dec. 28	29.06	Dec. 25	30.40	Dec. 23	26.49

Pike County

Pi 1. A. J. Heuring. Lafayette and Main Sts., Winslow. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 1 S., R. 7 W. Dug and drilled unused artesian well in rock, diam 36 to reported 6 in, depth 25 ft. Lsd, about 468 ft above msl. MP, edge of hole in concrete cover, 1.00 ft above lsd. Highest water level 2.42 below lsd, July 12, 1961; lowest 13.55 below lsd, Dec. 15, 1954. Records available: 1936-62.

1955		Apr. 25	6.30	Aug. 28	8.33	Dec. 24	7.17
Jan. 26	12.29	May 23	5.40	Sept. 25	9.00	1959	
Feb. 23	11.61	June 27	7.10	Oct. 23	9.70	Jan. 28	5.46
Mar. 23	8.90	July 25	8.75	Nov. 27	7.97	Feb. 25	5.18
Apr. 27	8.12	Aug. 22	9.00	Dec. 25	6.13	Mar. 25	5.45
May 25	8.10	Sept. 26	9.85	1958		Apr. 22	6.33
June 22	8.29	Oct. 24	10.30	Jan. 22	5.80	May 27	6.60
July 27	8.45	Nov. 28	10.70	Feb. 26	6.70	June 24	6.59
Aug. 24	9.49	Dec. 26	9.55	Mar. 26	5.30	July 22	7.77
Sept. 28	10.85	1957		Apr. 23	6.18	Aug. 26	7.90
Oct. 26	9.75	Jan. 23	9.00	May 28	5.70	Sept. 23	8.37
Nov. 23	8.80	Feb. 27	7.40	June 25	7.20	Oct. 28	7.50
Dec. 28	8.30	Mar. 27	7.50	July 23	5.80	Nov. 25	7.34
1956		Apr. 24	5.82	Aug. 27	6.35	Dec. 30	6.77
Jan. 25	9.70	May 22	7.20	Sept. 24	7.38	1960	
Feb. 22	6.38	June 26	6.40	Oct. 22	7.78	Jan. 27	6.45
Mar. 28	4.90	July 24	7.01	Nov. 26	7.63	Feb. 24	6.35

Pi 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Mar. 23	5.02	Dec. 28	8.15	Aug. 23	7.51	Apr. 25	6.01
Apr. 20	5.62	1961		Sept. 27	8.62	May 23	6.79
May 25	6.15	Jan. 25	7.85	Oct. 25	9.02	June 27	6.59
June 22	6.18	Feb. 21	7.30	Nov. 22	9.01	July 25	7.09
July 27	6.60	Mar. 29	5.70	Dec. 27	7.45	Aug. 22	7.82
Aug. 24	7.07	Apr. 26	4.50	1962		Sept. 26	6.90
Sept. 28	8.34	May 24	5.00	Jan. 24	6.89	Oct. 24	7.89
Oct. 26	8.76	June 28	6.29	Feb. 28	4.77	Nov. 28	6.88
Nov. 23	8.89	July 26	6.54	Mar. 28	5.31	Dec. 26	7.36

Porter County

Pt 1. City of Valparaiso. Valparaiso Water Dept. Valparaiso. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 6, T. 35 N., R. 5 W. Drilled unused well in sand, diam 2 in, reported depth 89 ft. Lsd, about 803 ft above msl. MP, top edge of pipe, 0.00 ft lsd. Highest water level 48.28 below lsd, July 8, 1952; lowest 70.31 below lsd, Oct. 29, 1957. Records available: 1935-62.

1955	1957	1959	1961
Jan. 25	54.80	Jan. 22	64.48
Feb. 21	54.37	Feb. 27	67.93
Mar. 22	53.98	Mar. 27	67.60
Apr. 26	53.49	Apr. 24	69.33
May 24	53.16	May 22	67.99
June 21	55.62	June 25	69.32
July 26	55.95	July 24	69.76
Aug. 23	58.25	Aug. 28	65.46
Sept. 29	60.38	Sept. 27	69.37
Oct. 25	61.00	Oct. 22	70.14
Nov. 22	62.50	Nov. 27	62.60
Dec. 27	62.87	Dec. 26	59.81
1956	1958	1960	1962
Jan. 24	59.05	Jan. 21	58.96
Feb. 28	60.70	Feb. 28	57.65
Mar. 27	60.01	Mar. 27	57.11
Apr. 24	58.48	Apr. 24	56.70
May 22	59.17	May 22	61.45
June 26	58.33	June 25	65.42
July 31	64.06	July 23	66.71
Aug. 22	66.00	Aug. 27	67.82
Sept. 25	66.59	Sept. 24	68.48
Oct. 23	67.05	Oct. 22	68.91
Nov. 27	68.55	Nov. 26	69.02
Dec. 26	64.84	Dec. 24	69.11

Pt 3. State of Indiana. Dunes State Park. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 13, T. 37 N., R. 6 W. Unused driven well in sand, diam 1 $\frac{1}{2}$ in, reported depth 20 ft. Lsd, about 614 ft above msl. MP, top edge of coupling, 0.00 ft lsd. Highest water level 11.10 below lsd, June 20, 1943; lowest dry, Sept. 18, 25, 1953. Records available: 1935-46, 1948-56. Discontinued.

Pt 3--Continued

Date	Water Level						
1955		July 5	15.20	1956		May 10	15.04
Mar. 19	14.70	Aug. 24	15.77	Jan. 25	16.16	June 26	15.00
Apr. 24	14.50	Sept. 5	15.35	Feb. 28	15.66	July 19	15.60
May 28	14.78	Nov. 30	15.80	Mar. 21	15.41		
June 27	15.20	Dec. 21	15.70	Apr. 15	15.60		

Pt 6. Indiana Associated Telephone Corp. Wheeler, NE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 2, T. 35 N., R. 7 W. Dug and driven unused well in clay and sand, diam 60 to 4 in, depth 45 ft, cribbed with brick. Lsd, about 666 ft above msl. MP, edge of 3-in oak plank near west side, 0.30 ft above lsd. Highest water level 1.68 below lsd, Apr. 24, 1954; lowest 22.03 below lsd, Dec. 11, 1948. Records available: 1948-61. Discontinued.

1955		Oct. 27	18.03	July 26	5.73	Apr. 23	4.09
Jan. 22	3.58	Nov. 24	19.65	Aug. 23	6.47	May 28	4.68
Feb. 26	3.67	Dec. 22	20.58	Sept. 27	9.18	June 25	3.20
Mar. 26	3.40	1957		Oct. 25	10.67	July 23	5.78
Apr. 23	3.49	Jan. 26	21.56	Nov. 22	11.99	Aug. 27	9.69
May 28	5.40	Feb. 23	21.53	Dec. 27	14.86	Sept. 24	12.78
June 25	6.91	Mar. 23	19.79	1959		Oct. 22	14.80
July 23	10.24	Apr. 27	2.59	Jan. 23	15.68	Nov. 26	16.52
Aug. 27	13.45	May 25	3.59	Feb. 28	6.79	Dec. 24	16.97
Sept. 27	14.26	June 26	5.17	Mar. 28	4.42	1961	
Oct. 22	14.49	July 27	5.06	Apr. 25	3.41	Jan. 28	17.15
Nov. 26	14.10	Aug. 24	5.92	May 23	4.30	Feb. 25	16.00
Dec. 24	13.63	Sept. 28	10.60	June 27	6.89	Mar. 25	4.67
1956		Oct. 26	4.77	July 25	4.92	Apr. 22	2.67
Jan. 28	14.13	Nov. 23	3.22	Aug. 22	6.90	May 27	5.05
Feb. 25	10.78	Dec. 28	2.90	Sept. 26	10.64	June 24	6.26
Mar. 24	4.95	1958		Oct. 24	6.22	July 22	4.74
Apr. 28	2.03	Jan. 25	4.23	Nov. 28	3.05	Aug. 26	8.05
May 26	4.27	Feb. 22	5.09	Dec. 26	3.45	Sept. 23	4.18
June 23	7.60	Mar. 22	4.17	1960		Oct. 28	3.57
July 28	10.95	Apr. 26	5.00	Jan. 23	3.70	Nov. 25	3.73
Aug. 25	13.56	May 24	6.08	Feb. 27	3.71	Dec. 23	4.18
Sept. 22	15.75	June 28	4.74	Mar. 26	4.12		

Pt 7. City of Valparaiso. Valparaiso Water Dept. Valparaiso. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 6, T. 35 N., R. 5 W. Driven unused well in drift, diam 1 $\frac{1}{2}$ in, depth unknown. Lsd, about 800 ft above msl. MP, top of pipe, 3.80 ft above lsd. Highest water level 54.04 below lsd, Jan. 31, 1956; lowest 66.50 below lsd, Mar. 13, 1957. Records available: 1954, 1956-57. Discontinued.

1956		July 24	60.00	Jan. 22	64.20	Aug. 28	64.41
Jan. 24	54.43	Aug. 21	61.21	Feb. 27	63.50	Sept. 27	63.92
Feb. 28	60.44	Sept. 25	62.79	Mar. 27	65.44	Oct. 22	65.92
Mar. 27	56.25	Oct. 23	62.62	Apr. 24	63.81	Nov. 27	57.19
Apr. 24	54.65	Nov. 27	63.20	May 22	64.34		
May 22	54.35	Dec. 26	63.60	June 25	63.78		
June 26	58.79	1957		July 24	64.07		

Pt 8. Wabash Railway Co. Crocker. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 9, T. 36 N., R. 6 W. Drilled unused artesian well in sand, diam 10 in, depth 80 ft. Lsd, about 633 ft above msl. MP, hole in top of platform, 2.28 ft above lsd. Highest water level 8.20 below lsd, Mar. 28, 29, Apr. 1, 1962; lowest 10.65 below lsd, Dec. 26, 28, 1960. Records available: 1956-62.

(daily highest water levels from recorder graph)

Date	Water Level						
1956		May 25	11.14	Dec. 25	10.25	June 25	9.80
Nov. 29	11.28	June 26	11.06	1960		July 25	10.05
Dec. 28	11.39	July 25	11.12	Jan. 25	9.80	Aug. 25	9.90
1957		Aug. 25	11.17	Feb. 25	9.10	Sept. 25	9.50
Jan. 25	11.54	Sept. 25	11.35	Mar. 25	9.30	Oct. 25	9.25
Feb. 25	11.65	Oct. 25	11.55	Apr. 25	8.50	Nov. 25	9.15
Mar. 25	11.76	Nov. 25	11.65	May 25	8.85	Dec. 25	9.20
Apr. 25	11.74	Dec. 25	11.80	June 25	8.70	1962	
May 25	11.25	1959		July 25	9.10	Jan. 25	9.25
June 25	11.39	Jan. 25	11.90	Aug. 25	9.50	Feb. 25	9.15
July 25	11.38	Feb. 25	11.60	Sept. 25	9.85	Mar. 25	8.25
Aug. 25	11.37	Mar. 25	11.20	Oct. 25	10.10	Apr. 25	8.60
Sept. 25	11.53	Apr. 25	10.85	Nov. 25	10.30	May 25	8.95
Oct. 23	11.56	May 9	10.40	Dec. 25	10.55	June 25	9.35
Dec. 25	11.30	June 25	10.40	1961		July 25	9.70
1958		July 25	10.35	Jan. 25	10.75	Aug. 25	9.95
Jan. 25	11.15	Aug. 25	10.40	Feb. 25	10.90	Sept. 25	10.25
Feb. 25	11.17	Sept. 25	10.75	Mar. 25	10.70	Oct. 25	10.50
Mar. 25	11.00	Oct. 27	10.80	Apr. 25	9.90	Nov. 25	10.75
Apr. 25	11.11	Nov. 25	10.40	May 25	9.70	Dec. 25	10.85

Pt 9. Herbert Hull. Deep River. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 27, T. 35 N., R. 7 W. Drilled unused artesian well in limestone, diam 8 to 6 in, depth 379 ft. Lsd, about 684 ft above msl. MP, top of casing, 2.35 ft above lsd. Highest water level 23.10 below lsd, Mar. 30, 1960; lowest 25.30 below lsd, Oct. 28, 29, 1962. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957		Apr. 25	23.61	July 25	23.64	Oct. 17	h24.06
Aug. 13	23.93	May 25	23.59	Aug. 25	23.88	Nov. 14	h24.17
Oct. 15	24.43	June 25	23.84	Sept. 27	e24.16	1962	
1958		July 25	23.94	Oct. 25	24.20	Jan. 9	h23.37
Feb. 25	h23.99	Aug. 25	23.87	Nov. 25	24.31	Feb. 6	h24.03
Apr. 23	23.64	Sept. 29	24.28	Dec. 21	24.47	Mar. 14	h23.78
June 25	23.85	Oct. 25	23.65	1961		Apr. 25	23.74
Aug. 25	23.75	Nov. 26	23.72	Jan. 25	24.81	May 25	23.94
Sept. 25	23.82	Dec. 25	23.84	Feb. 25	24.32	June 25	24.15
Oct. 25	24.10	1960		Mar. 25	24.50	July 25	24.29
Nov. 25	24.05	Jan. 25	23.52	Apr. 25	24.09	Aug. 25	24.62
Dec. 25	24.45	Feb. 25	23.13	May 26	24.08	Sept. 25	25.02
1959		Mar. 25	23.48	June 27	h24.13	Oct. 25	25.09
Jan. 25	24.21	Apr. 18	23.37	July 25	24.06	Nov. 25	25.24
Feb. 25	24.03	May 18	23.37	Aug. 25	24.14	Dec. 25	25.01
Mar. 25	23.74	June 25	23.48	Sept. 19	h24.41		

Posey County

Py 2. Mary M. Wade. Wadesville. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 5, T. 5 S., R. 12 W. Drilled unused artesian well in rock, diam 6 in, depth 236 ft. Lsd, about 430 ft above msl. MP, edge of 1-in hole in recorder base, 2.81 ft above lsd. Highest water level 0.05 above lsd, Jan. 22, 1962; lowest 14.95 below lsd, Nov. 30, Dec. 6, 1954. Records available: 1947-62.

(2 a.m. water levels from recorder graph, 1955-57; daily highest, 1958-62)

Date	Water Level						
1955							
Jan. 25	13.30	Jan. 25	e13.30	Jan. 25	e4.90	Jan. 25	6.25
Feb. 25	12.05	Feb. 24	11.00	Feb. 25	4.05	Feb. 25	5.20
Mar. 31	8.75	Mar. 25	8.60	Mar. 25	h3.42	Mar. 25	h4.56
Apr. 27	7.00	Apr. 25	6.55	Apr. 25	e3.70	Apr. 24	h3.86
May 25	6.30	May 25	h5.81	May 25	4.40	May 25	3.25
June 25	6.50	June 15	h5.40	June 25	4.80	June 23	4.15
July 25	6.90	July 25	e5.70	July 25	5.70	July 25	5.10
Aug. 25	8.30	Aug. 27	h6.75	Aug. 25	6.40	Aug. 25	5.55
Sept. 25	10.55	Sept. 25	8.20	Sept. 25	7.10	Sept. 25	6.80
Oct. 25	12.00	Oct. 25	9.65	Oct. 25	6.25	Oct. 22	h8.14
Nov. 24	13.05	Nov. 25	9.60	Nov. 25	6.00	Nov. 25	8.85
Dec. 25	13.40	Dec. 24	7.45	Dec. 26	h4.90	Dec. 25	7.45
1956							
Jan. 25	14.05	Jan. 29	5.55	Jan. 25	4.20	Jan. 25	5.50
Feb. 25	12.05	Feb. 25	4.15	Feb. 25	4.00	Feb. 21	4.60
Mar. 25	10.00	Mar. 25	4.15	Mar. 25	3.70	Mar. 25	3.75
Apr. 25	8.25	Apr. 25	4.25	Apr. 25	3.75	Apr. 25	3.70
May 25	7.50	May 25	3.90	May 21	h3.72	May 25	4.25
June 25	7.40	June 25	4.80	June 25	4.35	June 25	5.35
July 25	8.40	July 25	4.25	July 21	h4.66	July 25	6.75
Aug. 25	9.65	Aug. 25	4.90	Aug. 25	5.50	Aug. 25	8.50
Sept. 25	11.00	Sept. 25	6.20	Sept. 25	6.95	Sept. 25	9.85
Oct. 25	12.40	Oct. 25	6.95	Oct. 25	7.85	Oct. 25	10.90
Nov. 25	12.90	Nov. 25	7.35	Nov. 25	8.15	Nov. 25	ell.20
Dec. 25	13.65	Dec. 25	6.70	Dec. 25	7.15	Dec. 26	ell.05
1957							
1959							
1960							
1961							
1962							

Pulaski County

Pu 1. State of Indiana. Jasper-Pulaski State Game Preserve. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 18, T. 31 N., R. 4 W. Drilled unused artesian well in rock, diam 4 in, reported depth 149 ft, cased to 60. Lsd, about 706 ft above msl. MP, east edge of iron rim for manhole cover in concrete base, 0.00 ft lsd. Highest water level 4.09 below lsd, Dec. 27, 1961, Jan. 3, 10, 17, Apr. 11, 18, June 20, 1962; lowest 12.14 below lsd, Dec. 1, 1935. Records available: 1935-42, 1944-62.

1955	Aug. 23	8.94	Mar. 28	7.94	Nov. 28	10.94
Jan. 26	7.77	Sept. 21	9.01	Apr. 25	8.92	Dec. 26
Feb. 28	8.03	Oct. 26	8.83	May 23	7.91	1957
Mar. 23	7.17	Nov. 25	8.81	June 27	6.93	Jan. 23
Apr. 27	6.75	Dec. 21	9.01	July 25	8.94	Feb. 20
May 25	7.91	1956		Aug. 22	8.96	Mar. 27
June 22	6.99	Jan. 25	9.18	Sept. 26	10.94	Apr. 23
July 27	7.96	Feb. 22	9.10	Oct. 24	10.91	May 22
						6.96

Pu 1--Continued

	Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
June 12	7.91	1959			May 18	6.98	Oct. 25	5.09
July 24	7.90	Jan. 28	7.05	June 15	6.99	Nov. 22	6.00	
Sept. 23	8.95	Feb. 25	7.05	July 27	6.98	Dec. 27	4.09	
Oct. 3	8.96	Mar. 25	7.01	Aug. 24	6.97		1962	
Nov. 21	7.00	Apr. 22	6.97	Sept. 14	6.91	Jan. 24	5.00	
Dec. 20	6.97	May 27	6.96	Oct. 26	7.01	Feb. 28	5.00	
1958		June 24	7.03	Nov. 23	7.02	Mar. 28	4.10	
Jan. 17	7.00	July 22	8.08	Dec. 28	7.05	Apr. 25	4.10	
Feb. 26	7.93	Aug. 25	8.09			May 23	4.11	
Mar. 27	6.99	Sept. 16	9.01	Jan. 18	7.03	June 27	5.00	
Apr. 10	6.97	Oct. 14	9.01	Feb. 15	7.03	July 25	5.01	
June 24	7.91	Nov. 18	8.05	Mar. 22	7.04	Aug. 22	5.01	
July 23	6.94	Dec. 16	7.05	Apr. 26	6.08	Sept. 26	5.06	
Aug. 27	6.94	1960		May 24	7.00	Oct. 24	5.08	
Sept. 24	7.05	Jan. 13	6.04	June 28	8.91	Nov. 28	4.11	
Oct. 16	7.07	Feb. 24	6.93	July 26	5.08	Dec. 26	5.00	
Nov. 26	7.09	Mar. 24	6.95	Aug. 23	5.07			
Dec. 31	8.00	Apr. 20	6.98	Sept. 27	5.08			

Pu 6. Earl Overmyer. Francisville. SE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 4, T. 29 N., R. 4 W.
 Drilled unused artesian well in limestone, diam 8 in, depth 663 ft. Lsd,
 about 685 ft above msl. MP, top of casing, 3.00 ft above lsd. Highest water
 level 4.03 below lsd, June 15, 1958; lowest 16.82 below lsd, June 17, 18,
 1957. Records available: 1956-62.

(daily highest water levels from recorder graph)

1956		Feb. 25	8.50	Nov. 25	8.43	July 25	8.60
July 25	h9.80	Mar. 25	7.79	Dec. 25	8.12	Aug. 25	9.00
Aug. 26	h11.99	Apr. 25	8.50	1960		Sept. 25	9.20
Sept. 25	13.72	May 25	9.00	Jan. 25	7.38	Oct. 25	9.16
Oct. 25	14.83	June 25	5.75	Feb. 22	6.60	Nov. 26	h6.38
Nov. 25	15.06	July 25	6.60	Mar. 25	8.17	Dec. 25	h7.54
Dec. 25	15.80	Aug. 25	7.94	Apr. 25	6.27		1962
1957		Sept. 25	9.59	May 25	7.61	Jan. 25	7.50
Jan. 25	15.58	Oct. 25	10.65	June 25	7.42	Feb. 25	7.83
Feb. 23	15.09	Nov. 25	9.68	July 25	9.38	Mar. 25	5.87
Mar. 25	14.47	Dec. 25	9.65	Aug. 25	10.61	Apr. 25	8.01
Apr. 25	6.06	1959		Sept. 25	11.58	May 25	8.20
May 25	6.01	Jan. 25	e9.22	Oct. 25	13.33	June 25	9.15
June 25	7.27	Feb. 25	8.08	Nov. 25	11.85	July 25	8.90
July 21	h5.20	Mar. 25	6.09	Dec. 25	e12.62	Aug. 26	h11.51
Aug. 25	8.90	Apr. 25	6.37	1961		Sept. 25	12.80
Sept. 23	11.87	May 25	7.60	Jan. 25	13.55	Oct. 25	14.87
Oct. 23	10.30	June 25	10.01	Feb. 25	11.82	Nov. 25	13.94
Nov. 25	6.97	July 25	11.40	Mar. 25	6.92	Dec. 25	14.49
Dec. 25	5.05	Aug. 23	13.58	Apr. 25	5.09		
1958		Sept. 25	15.17	May 26	h7.65		
Jan. 23	7.06	Oct. 25	14.12	June 25	h8.30		

Putnam County

Pn 4. Brazil Water Works. Reelsville. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 20, T. 13 N., R. 5 W. Drilled unused water-table well in sand and gravel, diam 10 in, depth 60 ft. Lsd, 611.7 ft above msl. MP, top of recorder platform, 2.23 ft above lsd. Highest water level 0.20 below lsd, May 9, 1961; lowest 17.30 below lsd, Aug. 24, 25, 1959. Records available: 1957-62.

(daily highest water levels from recorder graph)

Date	Water Level						
1957		Nov. 25	15.10	Mar. 25	14.95	Aug. 25	16.05
July 25	14.25	Dec. 25	15.55	Apr. 25	15.45	Sept. 25	14.30
Aug. 25	15.25	1959		May 25	15.30	Oct. 25	16.15
Sept. 16	15.35	Jan. 25	12.05	June 25	8.00	Nov. 25	14.75
Oct. 25	13.85	Feb. 25	13.05	July 25	15.65	Dec. 25	14.75
Nov. 25	13.75	Mar. 25	14.70	Aug. 25	16.40	1962	
Dec. 24	h11.07	Apr. 25	14.65	Sept. 23	16.55	Jan. 25	12.70
1958		May 25	14.50	Oct. 25	16.80	Feb. 25	14.30
Jan. 25	14.10	June 25	16.10	Nov. 25	16.65	Mar. 25	10.75
Feb. 26	15.20	July 25	16.15	Dec. 24	16.55	Apr. 25	15.05
Mar. 25	14.30	Aug. 25	16.55	1961		May 25	15.45
Apr. 25	15.00	Sept. 25	17.05	Jan. 25	16.25	June 25	16.05
May 25	14.40	Oct. 25	16.45	Feb. 25	16.20	July 24	14.05
June 25	13.70	Nov. 25	16.25	Mar. 25	12.65	Aug. 25	16.15
July 25	14.50	Dec. 25	15.75	Apr. 25	3.30	Sept. 25	15.05
Aug. 25	14.90	1960		May 25	14.30	Oct. 17	15.25
Sept. 25	15.75	Jan. 25	14.65	June 25	15.35	Nov. 25	15.80
Oct. 25	16.05	Feb. 20	14.00	July 25	16.00	Dec. 13	h16.18

Pn 5. Town of Cloverdale. Cloverdale. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 1, T. 12 N., R. 4 W. Drilled unused artesian well in shale and siltstone, diam 8 in, depth 410 ft. Lsd, 763.1 ft above msl. MP, top of recorder platform, 2.10 ft above lsd. Highest water level 11.90 below lsd, May 11, 12, 1961; lowest 15.52 below lsd, July 30, 1959. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957		Dec. 25	14.09	May 25	12.87	Oct. 25	14.49
Aug. 25	14.40	1959		June 25	13.00	Nov. 25	e13.33
Sept. 25	14.96	Jan. 25	13.55	July 23	13.70	Dec. 25	12.55
Oct. 25	14.56	Feb. 21	13.02	Aug. 25	14.18	1962	
Nov. 25	13.23	Mar. 25	12.85	Sept. 25	14.32	Jan. 25	12.71
Dec. 25	12.56	Apr. 25	13.42	Oct. 25	14.64	Feb. 25	12.85
1958		May 25	13.72	Nov. 25	14.10	Mar. 25	12.46
Jan. 24	13.55	June 25	14.28	Dec. 25	13.60	Apr. 25	13.29
Feb. 24	13.50	July 25	15.28	1961		May 25	13.61
Mar. 25	14.44	Aug. 27	e14.91	Jan. 25	13.53	June 25	14.27
Apr. 25	14.16	Sept. 25	14.69	Feb. 25	12.86	July 25	13.98
May 25	14.10	Oct. 28	e14.11	Mar. 19	12.17	Aug. 25	15.05
June 23	h13.52	Nov. 24	13.15	Apr. 25	12.05	Sept. 25	15.21
July 25	13.74	Dec. 25	13.02	May 25	12.59	Oct. 25	16.00
Aug. 25	13.74	1960		June 25	13.96	Nov. 25	15.50
Sept. 25	14.01	Jan. 25	12.91	July 25	14.30	Dec. 25	15.58
Oct. 25	13.91	Feb. 4	12.95	Aug. 25	14.41		
Nov. 16	14.06	Apr. 25	13.51	Sept. 25	14.73		

Pn 6. Ohio Oil Co. Roachdale. SW $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 16 N., R. 4 W. Drill-ed unused artesian well in sand and gravel, diam 6 in, depth 172 ft. Lsd, about 800 ft above msl. MP, top of recorder platform, 2.24 ft above lsd. Highest water level 18.59 below lsd, May 9, 1961; lowest 25.08 below lsd, Dec. 1, 2, 1960. Records available: 1958-62.

(daily highest water levels from recorder graph)

Date	Water Level						
1958		July 25	22.17	Sept. 25	23.45	Nov. 25	23.30
June 27	20.58	Aug. 25	22.81	Oct. 25	24.35	Dec. 25	22.38
July 25	20.92	Sept. 25	23.90	Nov. 25	24.93	1962	
Aug. 24	20.00	Oct. 25	23.73	Dec. 23	24.81	Jan. 25	21.07
Sept. 10	h20.67	Nov. 25	22.80	1961		Feb. 25	20.60
Oct. 25	21.49	Dec. 22	22.30	Jan. 25	24.73	Mar. 25	21.27
Nov. 20	21.40	1960		Feb. 25	24.05	Apr. 25	22.53
Dec. 20	20.55	Jan. 25	20.67	Mar. 25	20.71	May 25	20.45
1959		Feb. 25	19.05	Apr. 25	19.26	June 25	21.88
Jan. 26	21.15	Mar. 25	20.34	May 25	20.18	July 25	21.33
Feb. 25	19.88	Apr. 25	20.48	June 25	21.81	Aug. 25	22.80
Mar. 25	19.00	May 25	21.01	July 25	23.00	Sept. 25	22.91
Apr. 25	19.27	June 25	20.22	Aug. 25	23.55	Oct. 25	23.64
May 25	19.99	July 25	20.68	Sept. 25	24.52	Nov. 25	23.95
June 25	20.83	Aug. 25	22.24	Oct. 25	24.68	Dec. 12	h24.20

Randolph County

Ra 1. Artie V. Keys Estate. Winchester. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 26, T. 20 N., R. 14 E. Drilled used domestic artesian well in limestone, diam 4 in, depth 157 ft, cased to 148. Lsd, about 1,130 ft above msl. MP, northwest edge of 4 $\frac{1}{2}$ -in pipe, 5.87 ft below lsd. Highest water level 12.08 below lsd, Jan. 31, 1949; lowest 18.43 below lsd, Jan. 31, 1945. Records available: 1942-62.

1955		Oct. 31	17.61	July 31	13.28	Apr. 30	14.25
Jan. 31	14.39	Nov. 30	17.97	Aug. 31	13.97	May 31	14.58
Feb. 28	13.33	Dec. 31	17.53	Sept. 30	14.65	June 30	15.26
Mar. 31	13.13	1957		Oct. 31	15.41	July 31	15.84
Apr. 30	13.67	Jan. 31	16.47	Nov. 30	14.80	Aug. 31	16.64
May 31	14.17	Feb. 28	14.55	Dec. 31	14.82	Sept. 30	17.28
June 30	15.18	Mar. 31	14.77	1959		Oct. 31	17.34
July 31	15.87	Apr. 30	12.90	Jan. 31	13.53	Nov. 30	17.68
Aug. 31	16.71	May 31	13.28	Feb. 28	12.95	Dec. 31	17.84
Sept. 30	16.47	June 30	13.04	Mar. 31	13.21	1961	
Oct. 31	14.50	July 31	14.20	Apr. 30	13.06	Jan. 31	17.88
Nov. 30	13.39	Aug. 31	15.63	May 31	14.01	Feb. 28	15.83
Dec. 31	14.37	Sept. 30	16.35	June 30	15.14	Mar. 31	13.23
1956		Oct. 31	16.47	July 31	15.83	Apr. 30	12.71
Jan. 31	15.04	Nov. 30	15.71	Aug. 31	16.61	May 31	14.41
Feb. 29	12.94	Dec. 31	13.00	Sept. 30	17.14	June 30	14.64
Mar. 31	12.93	1958		Oct. 31	16.86	July 31	14.51
Apr. 30	13.67	Jan. 31	14.06	Nov. 30	16.05	Aug. 31	14.89
May 31	14.18	Feb. 28	14.46	Dec. 31	14.63	Sept. 30	15.17
June 30	14.60	Mar. 31	13.79	1960		Oct. 31	15.56
July 31	15.59	Apr. 30	13.30	Jan. 31	13.54	Nov. 30	15.41
Aug. 31	16.41	May 31	14.13	Feb. 29	13.05	Dec. 31	14.85
Sept. 30	17.25	June 30	12.80	Mar. 31	13.67	1962	

Ra 1--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Jan. 31	13.57	Apr. 30	14.44	July 20	13.87	Oct. 31	16.61
Feb. 28	14.27	May 31	14.87	Aug. 31	15.30	Nov. 30	16.22
Mar. 31	13.83	June 30	15.17	Sept. 15	15.59	Dec. 31	16.34

Ripley County

Ri 1. Cleveland Fagan. Osgood. NE $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 19, T. 8 N., R. 11 E. Dug unused well, diam 48 in, depth 20 ft, cribbed with stone. Lsd, about 950 ft above msl. MP, painted arrow on cover, 0.12 ft above lsd. Highest water level 1.58 below lsd, May 3, 1947; lowest 14.46 below lsd, Sept. 18, 1954. Records available: 1944-61. Discontinued.

1955	Dec. 22	6.25	Sept. 27	4.72	June 25	4.58	
Jan. 22	11.70	1957		Oct. 25	4.67	July 23	4.28
Feb. 26	9.36	Jan. 26	5.70	Nov. 23	4.55	Aug. 27	5.34
Mar. 26	4.74	Feb. 23	5.48	Dec. 27	4.47	Sept. 24	4.98
Apr. 2	4.52	Mar. 23	4.00	1959		Oct. 22	5.58
June 25	3.43	Apr. 27	4.28	Jan. 24	4.46	Nov. 26	6.56
July 23	4.70	May 25	6.37	Feb. 28	4.18	Dec. 24	6.28
Aug. 27	5.58	June 22	6.13	Mar. 28	4.16	1961	
Sept. 24	6.24	July 27	6.28	Apr. 25	4.18	Jan. 28	6.46
Oct. 22	6.14	Aug. 24	7.54	May 23	3.67	Feb. 25	4.11
Nov. 26	6.16	Sept. 28	9.15	June 27	5.58	Mar. 25	5.16
Dec. 24	3.12	Oct. 26	8.40	July 25	6.60	Apr. 22	4.95
1956		Nov. 23	8.68	Aug. 22	5.50	May 27	4.68
Jan. 28	4.13	Dec. 28	5.02	Sept. 26	7.67	June 24	5.64
Feb. 25	4.22	1958		Oct. 24	7.36	July 22	6.53
Mar. 24	3.96	Jan. 25	5.25	Nov. 28	7.46	Aug. 26	6.58
Apr. 28	4.27	Feb. 22	3.93	Dec. 26	6.78	Sept. 23	6.63
May 26	4.72	Mar. 22	5.18	1960		Oct. 28	6.24
June 23	4.57	Apr. 26	3.10	Jan. 23	3.00	Nov. 25	5.98
July 28	4.17	May 24	3.26	Feb. 27	3.08	Dec. 23	5.98
Aug. 25	4.76	June 28	3.66	Mar. 26	3.18		
Sept. 27	5.28	July 26	4.52	Apr. 23	3.38		
Nov. 24	6.20	Aug. 23	4.24	May 28	4.28		

Ri 2. Weldon Manlief. Milan. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 20, T. 8 N., R. 13 W. Drill-ed unused well in limestone, diam 6 in, depth 64.06 ft. Lsd, about 995 ft above msl. MP, top of casing, 1.50 ft above lsd. Highest water level 0.80 below lsd, Jan. 21, 1959; lowest 11.21 below lsd, Dec. 22, 1960. Records available: 1958-62.

(daily highest water levels from recorder graph)							
1958	Feb. 25	1.40	Dec. 25	8.55	Sept. 25	10.10	
May 25	3.43	Mar. 25	3.10	1960		Oct. 25	10.65
June 10	8.37	Apr. 25	7.40	Jan. 25	7.15	Nov. 25	11.00
July 26	1.60	May 25	8.60	Feb. 25	5.65	Dec. 25	11.25
Sept. 25	9.00	June 25	9.20	Mar. 25	2.15	1961	
Oct. 25	9.70	July 25	9.80	Apr. 25	7.25	Jan. 25	9.05
Nov. 25	9.95	Aug. 25	10.30	May 25	9.20	Feb. 24	7.00
Dec. 25	9.15	Sept. 25	10.60	June 22	7.45	Mar. 25	1.50
1959		Oct. 25	10.75	July 25	6.90	Apr. 25	2.50
Jan. 24	2.25	Nov. 25	10.20	Aug. 25	9.30	May 25	6.55

Ri 2--Continued

	Date	Water Level		Date	Water Level		Date	Water Level			
June	25	8.45	Nov.	25	h10.87	Mar.	25	1.70	Aug.	25	9.40
July	25	9.85	Dec.	26	8.40	Apr.	25	6.45	Sept.	25	10.15
Aug.	25	10.15		1962		May	25	8.80	Oct.	25	10.35
Sept.	25	10.45	Jan.	23	2.40	June	25	9.00	Nov.	25	10.55
Oct.	25	10.85	Feb.	25	1.30	July	25	6.80	Dec.	25	10.70

Ri 3. Town of Sunman. Sunman School. Sunman. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 8, T. 9 N., R. 13 W. Drilled unused well, diam 6 in, depth 77.95 ft. Lsd, about 1,120 ft above msl. MP, inside edge of ledge for door, 1.17 ft above lsd. Highest water level 4.68 below lsd, May 2-7, 1959; lowest 7.80 below lsd, Oct. 29, 1962. Records available: 1958-59, 1962. Discontinued.

(daily highest water levels from recorder graph)

1958		Nov. 25	5.96	May 7	e4.68	Sept. 25	7.68
Aug. 25	5.83	Dec. 25	5.45	1962		Oct. 22	h7.78
Sept. 25	5.96	1959		July 31	h6.81	Nov. 20	h7.62
Oct. 25	6.11	Jan. 25	4.76	Aug. 25	7.35		

Ri 4. Naas Corp. Sunman. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 17, T. 9 N., R. 13 E. Drilled unused well in sand and gravel, diam 8 in, depth 33.95 ft. Lsd, about 1,120 ft above msl. MP, top of casing, 0.20 ft above lsd. Highest water level 0.65 below lsd, Mar. 15, 1959; lowest 6.65 below lsd, Dec. 20, 1962. Records available: 1958-59, 1962.

(daily highest water levels from recorder graph)

1958		Jan. 25	1.43	Aug. 25	4.86	Sept. 27	h6.06
Aug. 25	2.28	Feb. 25	1.23	Sept. 25	5.44	Oct. 25	h6.12
Sept. 25	2.87	Mar. 25	1.61	Oct. 25	4.25	Nov. 25	5.14
Oct. 25	3.39	Apr. 25	2.26	Nov. 25	3.57	Dec. 22	e6.06
Nov. 25	1.84	May 25	2.07	1962			
Dec. 25	2.87	June 25	2.35	July 31	h5.31		
1959		July 31	3.58	Aug. 25	6.48		

Ri 5. Sunman Water Works. Sunman. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 16, T. 9 N., R. 13 E. Drilled unused well in rock, diam 6 in, depth 92 ft. Lsd, about 1,010 ft above msl. MP, top of casing, 3.00 ft above lsd. Highest water level 7.00 below lsd, May 15, 1959; lowest 13.78h below lsd, Nov. 6, 1962. Records available: 1958-59, 1962. Discontinued.

(daily highest water levels from recorder graph)

1958		Jan. 25	9.51	July 25	11.28	July 31	h12.10
Sept. 21	11.82	Feb. 27	7.89	Aug. 25	12.73	Aug. 25	12.70
Oct. 25	12.00	Mar. 25	7.71	Sept. 24	13.70	Sept. 25	h13.32
Nov. 25	11.90	Apr. 25	9.40	Oct. 21	13.56	Oct. 24	e13.70
Dec. 25	11.54	May 25	9.53	Nov. 25	13.38	Nov. 20	h13.75
1959		June 25	10.07	1962			

Rush County

Ru 1. Margaret Krause and Alice Redman. Rushville. NW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 8, T. 14 N., R. 10 E. Dug unused well, diam 42 in, depth 25 ft, cribbed with stone. Lsd, about 1,002 ft above msl. MP, edge of pump hole in concrete top, 0.60 ft above lsd. Highest water level 1.53 below lsd, Jan. 25, 1950; lowest 18.55 below lsd, Aug. 31, 1951. Records available: 1945-56.

Discontinued.

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		July 23	5.47	Dec. 17	4.26	Apr. 20	3.88
Jan. 22	8.36	Aug. 27	6.73	1956		May 25	4.28
Feb. 26	4.57	Sept. 24	7.54	Jan. 14	4.65	June 22	4.27
May 28	4.71	Oct. 22	5.01	Feb. 25	2.63	July 27	5.09
June 25	4.66	Nov. 26	2.81	Mar. 31	3.07		

St. Joseph County

Sj 1. City of Mishawaka. Mishawaka Water and Light Dept. Virgil and Lindon Sts., Mishawaka. SW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 11, T. 37 N., R. 3 E. Driven unused well in sand, diam 1 $\frac{1}{4}$ in, depth 40 ft. Lsd, 702.37 ft above msl. MP, top of pipe, 0.50 ft above lsd. Highest water level 4.46 below lsd, May 25, 1943; lowest 17.70 below lsd, Oct. 15, 1956. Records available: 1935-57.

Discontinued.

1955		Sept. 15	15.08	May 16	11.50	Jan. 15	12.75
Jan. 15	11.16	Oct. 15	13.58	June 16	16.50	Feb. 15	11.65
Feb. 16	12.50	Nov. 16	13.58	July 16	16.40	Mar. 16	8.20
Mar. 16	10.16	Dec. 31	13.41	Aug. 15	16.80	Apr. 15	6.66
Apr. 16	11.07	1956		Sept. 30	15.60	May 15	8.10
May 16	13.00	Jan. 16	12.66	Oct. 15	17.70	June 15	8.80
June 15	12.66	Feb. 15	10.60	Nov. 15	13.60	July 15	9.90
July 16	14.17	Mar. 16	13.30	Dec. 16	16.40	Aug. 15	13.34
Aug. 15	13.58	Apr. 16	13.70	1957		Sept. 1	14.30

Sj 9. New Jersey, Indiana, and Illinois Railroad Co. Oliver St. and Indiana Ave., South Bend. NE $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 15, T. 37 N., R. 2 E. Drilled unused artesian well in sand and gravel, diam 8 in, depth 80 ft. Lsd, about 715 ft above msl. MP, floor of recorder shelter, 0.90 ft above lsd. Highest water level 9.72 below lsd, Dec. 30, 1962; lowest 17.55 below lsd, June 6, Sept. 5, 1953. Records available: 1945-62.

(2 a.m. water levels from recorder graph, 1955-56; daily highest, 1957-62)

1955		Dec. 26	13.96	Nov. 25	16.12	Oct. 25	16.18
Jan. 25	12.41	1956		Dec. 25	16.31	Nov. 25	15.28
Feb. 25	12.54	Jan. 25	14.27	1957		Dec. 25	14.51
Mar. 25	12.59	Feb. 25	13.95	Jan. 25	15.50	1958	
Apr. 25	12.49	Mar. 25	13.56	Feb. 24	15.03	Jan. 25	13.75
May 25	13.37	Apr. 25	13.69	Mar. 25	14.82	Feb. 25	13.70
June 25	13.73	May 25	12.10	Apr. 25	14.42	Mar. 25	12.95
July 25	14.42	June 25	13.88	May 25	13.77	Apr. 25	13.45
Aug. 25	15.19	July 25	14.68	June 25	14.76	May 25	14.29
Sept. 25	15.63	Aug. 25	14.98	July 25	15.61	June 25	14.24
Oct. 25	14.46	Sept. 23	15.25	Aug. 25	15.97	July 25	14.53
Nov. 25	13.93	Oct. 25	15.91	Sept. 25	15.70	Aug. 25	14.00

Sj 9--Continued

Date	Water Level						
Sept. 25	14.17	Oct. 25	16.02	Nov. 6	15.64	1962	
Oct. 25	14.51	Nov. 25	15.26	Dec. 21	15.51	Jan. 25	13.97
Nov. 25	14.50	Dec. 25	14.78	1961		Feb. 6	h13.63
Dec. 28	e14.45	1960		Feb. 20	15.49	Mar. 25	13.15
1959		Jan. 25	13.79	Mar. 25	14.84	Apr. 30	h13.07
Jan. 18	14.72	Feb. 25	12.61	Apr. 30	13.74	May 25	13.73
Feb. 25	13.78	Mar. 25	12.78	May 25	13.52	June 25	14.29
Mar. 25	13.16	Apr. 25	12.22	June 25	14.23	July 25	14.65
Apr. 25	12.87	May 25	12.55	July 25	15.07	Aug. 25	16.06
May 25	13.18	June 25	12.65	Aug. 25	15.65	Sept. 25	10.97
June 25	14.32	July 25	14.18	Sept. 25	15.46	Oct. 25	10.90
July 25	15.15	Aug. 25	14.91	Oct. 25	14.93	Nov. 25	10.22
Aug. 25	15.71	Sept. 25	15.76	Nov. 25	14.68	Dec. 25	9.87
Sept. 25	16.87	Oct. 25	15.53	Dec. 25	14.14		

Sj 16. St. Marys College. Notre Dame. SW $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 35, T. 38 N., R. 2 E. Drilled unused well in sand and gravel, diam 12 in, depth 116 ft. Lsd, about 678 ft above msl. MP, floor of shelter base, 0.40 ft above lsd. Highest water level 0.90 below lsd, Apr. 12, 28-30, 1950; lowest 16.0 below lsd, Mar. 11, 1953. Records available: 1945-58. Discontinued.

1955	Feb. 27	4.65	Dec. 26	6.30	1958	
Jan. 25	5.19	Mar. 23	5.25	1957	Jan. 28	5.45
Feb. 22	5.23	Apr. 24	5.39	Jan. 22	6.55	Feb. 25
Mar. 22	4.68	May 22	4.38	Feb. 26	5.00	Mar. 25
Apr. 26	4.79	June 26	5.42	Mar. 26	5.95	Apr. 22
May 24	5.50	July 24	5.30	Apr. 2	6.00	May 27
June 28	5.87	Aug. 27	6.04	July 23	8.60	June 17
July 27	5.90	Sept. 25	6.37	Aug. 27	8.70	July 22
1956		Oct. 23	6.59	Sept. 24	6.75	
Jan. 26	5.74	Nov. 20	6.58	Oct. 22	7.45	

Sj 17. Ved Morgan. Coquillard Drive and McKinley Road., South Bend, NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 7, T. 37 N., R. 3 E. Drilled unused well, diam 2 in, depth 140 ft, Lsd, about 745 ft above msl. MP, top of pipe, 0.10 ft above lsd. Highest water level 31.54 below lsd, Feb. 11, 1961; lowest 51.54 below lsd, Aug. 24, 1957. Records available: 1945-61. Discontinued.

1955	Mar. 24	46.09	June 22	49.70	Sept. 27	49.59
Jan. 29	45.75	Apr. 28	46.50	July 27	50.57	Oct. 25
Feb. 26	44.57	May 26	45.78	Aug. 24	51.54	Nov. 22
Mar. 26	44.70	June 26	47.22	Sept. 28	50.79	Dec. 27
Apr. 23	44.84	July 28	47.98	Oct. 26	50.58	1959
May 28	46.25	Aug. 25	47.90	Nov. 23	50.09	Jan. 24
June 25	47.83	Sept. 22	48.23	Dec. 28	49.04	Feb. 28
July 9	48.04	Oct. 27	48.97	1958		Mar. 28
Aug. 27	49.07	Nov. 24	48.48	Jan. 25	48.64	Apr. 25
Sept. 24	48.43	Dec. 22	48.48	Feb. 22	48.33	May 28
Oct. 22	47.13	1957		Mar. 22	47.85	June 27
Nov. 26	46.15	Jan. 26	49.00	Apr. 26	47.99	July 11
Dec. 24	46.17	Feb. 23	49.14	May 24	49.15	Aug. 22
1956		Mar. 23	49.35	June 28	49.47	Sept. 26
Jan. 28	46.54	Apr. 27	49.60	July 26	49.90	Oct. 24
Feb. 25	46.67	May 25	49.38	Aug. 23	49.67	Nov. 28
						50.71
						50.74
						49.92

Sj 17--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Dec. 26 1960	49.35	May 28	46.43	Nov. 26	49.42	Apr. 22	49.11
		June 25	47.23	Dec. 24	49.29	May 27	49.37
Jan. 26	48.85	July 23	48.16	1961		June 24	49.71
Feb. 27	48.01	Aug. 27	49.26	Jan. 28	46.95	July 22	50.29
Mar. 26	42.91	Sept. 24	49.20	Feb. 25	43.95	Aug. 26	50.86
Apr. 23	44.69	Oct. 22	49.43	Mar. 25	48.00	Sept. 23	51.33

Sj 23. New York Central System. Lydick. SE $\frac{1}{4}$ SE $\frac{1}{4}$ sec. 33, T. 38 N., R. 1 E. Drilled unused water-table well in sand and gravel, diam 12 in, depth 56 ft. Lsd, about 722 ft above msl. MP, top of casing, 1 ft above lsd. Highest water level 5.19 below lsd, June 21, 1956; lowest 6.05 below lsd, Jan. 19, 1957. Records available: 1956-57. Discontinued.

1956	Nov. 23	5.94	1957		Feb. 9	5.80
June 21	5.19	Dec. 22	5.92	Jan. 26	6.02	

Sj 24. Wabash Railroad Co. Pine. NW $\frac{1}{4}$ SW $\frac{1}{4}$ sec. 32, T. 36 N., R. 2 E. Drilled unused water-table well in sand, diam 12 in, depth 93 ft. Lsd, about 824 ft above msl. MP, top of platform, 2.13 ft above lsd. Highest water level 37.83 below lsd, May 6, 1960; lowest 41.53 below lsd, July 17, 1957. Records available: 1957-62.

(daily highest water levels from recorder graph)

1957	Oct. 25	39.88	Mar. 25	38.59	Sept. 25	38.91	
Jan. 13	h40.11	Nov. 25	39.53	Apr. 25	38.06	Oct. 25	39.04
Apr. 22	h39.99	Dec. 25	40.10	May 25	38.20	Nov. 25	39.08
May 6	h39.93	1959		June 21	38.23	Dec. 25	38.94
July 17	h41.53	Jan. 26	40.02	July 25	38.45	1962	
Aug. 25	39.72	Feb. 25	39.50	Aug. 24	38.71	Jan. 25	39.08
Sept. 25	39.88	Mar. 25	39.33	Sept. 28	38.75	Feb. 25	38.78
Oct. 24	e39.68	Apr. 25	38.93	Oct. 30	e38.78	Mar. 25	38.69
Nov. 25	39.77	May 25	38.81	Nov. 25	39.01	Apr. 25	38.57
Dec. 21	h40.28	June 25	39.11	Dec. 25	39.03	May 25	38.85
1958		July 25	39.30	1961		June 25	38.97
Feb. 25	40.01	Aug. 25	39.32	Jan. 25	39.19	July 25	39.09
Mar. 25	39.79	Sept. 25	39.48	Feb. 25	38.97	Aug. 25	39.34
Apr. 25	40.04	Oct. 25	39.55	Mar. 25	39.05	Sept. 25	39.41
May 16	39.89	Nov. 25	39.46	Apr. 25	h38.85	Oct. 25	39.56
June 25	39.26	Dec. 24	39.27	May 25	38.32	Nov. 25	39.75
July 21	39.53	1960		June 24	38.79	Dec. 25	39.51
Aug. 25	39.60	Jan. 25	38.88	July 25	39.00		
Sept. 25	39.67	Feb. 5	e38.77	Aug. 25	39.02		

Sj 25. Mr. Stone. South Bend. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 10, T. 37 N., R. 1 E. Drilled unused well in sand, diam 6 in, depth 40.8 ft. Lsd, about 717 ft above msl. MP, edge of casing, 1.10 ft above lsd. Highest water level 4.48 below lsd, Feb. 10, 1960; lowest 8.58 below lsd, Apr. 30, 1962. Records available: 1959-62.

1959	June 24	6.45	Nov. 25	6.19	Mar. 23	6.06	
Feb. 25	5.46	July 22	6.59	Dec. 23	5.57	Apr. 27	5.77
Mar. 25	5.15	Aug. 26	7.57	1960		May 25	6.16
Apr. 22	5.93	Sept. 23	7.05	Jan. 27	5.79	June 22	5.69
May 27	6.20	Oct. 21	6.39	Feb. 24	5.85	July 13	6.30

Sj 25--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
Aug. 24	6.53	Jan. 25	6.83	1962		June 27	6.45
Sept. 28	6.66	Feb. 22	6.64	Jan. 9	6.41	July 24	6.40
Oct. 26	6.63	Mar. 22	6.01	Feb. 6	6.29	Aug. 21	6.87
Nov. 23	6.66	Apr. 26	5.29	Mar. 6	6.62	Sept. 17	6.92
Dec. 28	6.80	May 10	5.99	Apr. 30	8.58	Oct. 16	6.82
1961		Sept. 26	6.61	May 28	6.48	Dec. 11	6.74

Scott County

Sc 1. Town of Scottsburg. Highland and Thomas Sts., Scottsburg. NE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 19, T. 3 N., R. 7 E. Drilled unused well in gravel, diam 12 in, depth 34 ft, cased to 28. Lsd, about 565 ft above msl. MP, top of 2-in coupling, 1.21 ft above lsd. Highest water level 12.60 below lsd, Mar. 30, 1951; lowest 27.84 below lsd, Oct. 22, 1948. Records available: 1942-62.

1955		Jan. 24	16.04	Jan. 23	15.81	Jan. 22	18.47
Jan. 22	17.14	Feb. 25	15.93	Feb. 28	15.45	Feb. 28	15.16
Feb. 27	14.89	Mar. 24	16.37	Mar. 22	16.57	Apr. 23	15.37
Mar. 20	15.19	Apr. 27	15.22	Apr. 23	15.84	May 28	15.78
Apr. 23	16.44	May 26	13.89	May 22	16.30	June 25	15.70
May 22	17.00	June 23	16.07	June 26	16.76	July 28	15.64
July 23	17.48	July 27	16.89	July 27	17.09	Aug. 27	19.59
Aug. 22	17.89	Aug. 25	17.88	Aug. 23	20.24	Sept. 23	18.11
Sept. 26	17.87	Sept. 22	18.89	Sept. 27	17.82	Oct. 28	18.10
Oct. 23	16.95	Oct. 22	17.63	Oct. 23	16.98	Nov. 25	17.03
Nov. 27	15.85	Nov. 23	16.31	Nov. 27	16.57	Dec. 23	15.81
Dec. 25	16.90	Dec. 28	14.97	Dec. 28	16.46	1962	
1956		1958		1960		Jan. 27	14.74
Jan. 23	17.05	Jan. 25	15.31	Jan. 24	16.35	Feb. 25	14.86
Feb. 25	14.50	Feb. 22	15.49	Feb. 28	16.29	Mar. 25	14.94
Mar. 24	15.07	Mar. 22	15.38	Mar. 23	15.55	Apr. 23	16.31
Apr. 23	16.42	Apr. 23	15.32	Apr. 24	16.79	May 28	16.26
May 22	16.33	May 23	16.11	May 28	16.46	June 25	16.64
June 27	15.58	June 23	16.38	June 26	15.48	July 27	22.79
July 25	17.29	July 24	15.82	July 22	17.39	Aug. 25	20.43
Aug. 23	17.54	Aug. 27	17.33	Aug. 26	19.35	Sept. 23	17.75
Sept. 26	17.05	Sept. 23	17.28	Sept. 25	18.45	Oct. 28	17.84
Oct. 22	17.37	Oct. 24	17.24	Oct. 23	17.58	Nov. 26	17.62
Nov. 24	17.40	Nov. 23	17.21	Nov. 22	18.08	Dec. 24	17.52
Dec. 22	16.84	Dec. 24	16.98	Dec. 24	18.25		
1957		1959		1961			

Shelby County

Sh 1. Clarence Milner. Fairland. SE $\frac{1}{4}$ NE $\frac{1}{4}$ sec. 16, T. 13 N., R. 6 E. Driven unused well in gravel, diam 1 $\frac{1}{2}$ in, depth 23 ft. Lsd, about 768 ft above msl. MP, top of pipe, 2.00 ft above lsd. Highest water level 4.08 below lsd, Feb. 26, 1950; lowest 10.94 below lsd, Oct. 27, 1956. Records available: 1946-62.

Sh 1--Continued

Date	Water Level						
1955							
		1957			1959		
Jan. 23	9.35	Jan. 26	9.47	Jan. 25	6.55	Jan. 22	9.64
Feb. 26	9.15	Feb. 25	8.89	Feb. 28	6.38	Feb. 26	9.02
Mar. 26	7.83	Mar. 24	9.10	Mar. 28	6.84	Mar. 19	5.78
Apr. 23	7.54	Apr. 22	7.03	Apr. 25	7.79	Apr. 29	5.60
May 22	8.06	May 25	7.00	May 24	7.04	May 28	6.43
June 26	8.60	June 23	5.62	June 28	7.98	June 28	8.45
July 24	8.01	July 22	7.23	July 26	8.77	July 22	8.30
Aug. 27	8.99	Aug. 25	8.76	Aug. 22	9.28	Aug. 26	9.52
Sept. 26	9.36	Sept. 22	9.24	Sept. 27	9.67	Sept. 23	10.02
Oct. 23	8.72	Oct. 27	9.53	Oct. 24	9.78	Oct. 26	10.05
Nov. 27	6.48	Nov. 23	9.18	Nov. 22	9.50	Nov. 26	10.12
Dec. 24	7.85	Dec. 22	7.26	Dec. 27	9.10	Dec. 24	9.73
1956							
		1958			1960		
Jan. 23	8.66	Jan. 25	7.55	Jan. 24	8.53	Jan. 27	10.40
Feb. 25	6.23	Feb. 23	8.60	Feb. 28	7.73	Feb. 24	8.20
Mar. 25	6.87	Mar. 23	8.50	Mar. 27	8.10	Mar. 24	7.80
Apr. 22	7.35	Apr. 27	8.62	Apr. 24	8.44	Apr. 29	8.29
May 27	8.32	May 25	7.49	May 28	8.85	May 28	8.87
June 24	7.78	June 22	7.18	June 25	8.02	June 23	9.38
July 22	7.04	July 27	6.75	July 23	8.28	July 29	9.52
Aug. 26	9.08	Aug. 24	7.37	Aug. 27	9.55	Aug. 25	9.75
Sept. 23	9.53	Sept. 27	8.73	Sept. 25	9.32	Sept. 23	9.84
Oct. 27	10.94	Oct. 26	8.51	Oct. 22	9.75	Oct. 27	10.25
Nov. 25	10.05	Nov. 23	8.45	Nov. 20	9.86	Nov. 24	10.53
Dec. 23	9.79	Dec. 28	8.32	Dec. 18	9.80	Dec. 22	10.51

Spencer County

Sp 4. J. Andrew Wetzel. Buffaloville. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 10, T. 5 S., R. 5 W. Dug unused well in clay and rock, diam 48 in, depth 19 ft, cribbed with stone. Lsd, about 460 ft above msl. MP, painted arrow on wood platform, 0.00 ft lsd. Highest water level 0.44 below lsd, Jan. 27, 1945; lowest 18.02 below lsd, July 18, 1948. Records available: 1944-57. Discontinued.

1955	Sept. 25	7.30	May 27	5.19	Jan. 27	4.20
Jan. 23	2.30	Oct. 23	8.00	June 24	5.20	Feb. 24
Feb. 27	1.88	Nov. 27	3.19	July 22	6.99	Mar. 24
Mar. 27	3.15	Dec. 25	4.19	Aug. 25	7.25	Apr. 28
Apr. 24	1.90	1956		Sept. 23	7.90	May 26
May 22	4.04	Jan. 22	4.10	Oct. 28	9.02	June 23
June 26	5.64	Feb. 26	2.55	Nov. 25	9.70	July 28
July 24	4.30	Mar. 25	3.13	Dec. 23	10.47	Aug. 25
Aug. 28	6.73	Apr. 22	3.53	1957		Sept. 22
						7.46

Sp 5. State of Indiana. Lincoln State Park. NW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 32, T. 4 S., R. 5 W. Drilled unused artesian well in rock, diam 4 in, reported depth 111 ft. Lsd, about 480 ft above msl. MP, top of casing on west side, 4.00 ft below lsd. Highest water level 23.50 below lsd, Mar. 8, 1944; lowest 33.20 below lsd, Dec. 31, 1956. Records available: 1944-57. Discontinued.

Sp 5--Continued

Date	Water Level	Date	Water Level	Date	Water Level	Date	Water Level
1955		Sept. 28	32.75	May 21	29.90	Jan. 22	32.90
Jan. 26	32.60	Oct. 26	32.60	June 27	31.80	Feb. 26	32.20
Feb. 23	32.20	Nov. 23	32.50	July 24	32.15	Mar. 25	32.10
Mar. 23	27.60	Dec. 28	32.85	Aug. 22	32.60	Apr. 22	29.10
Apr. 27	27.20	1956		Sept. 25	32.10	May 27	27.80
May 25	30.60	Jan. 25	32.80	Oct. 23	32.10	June 24	26.20
June 22	29.30	Feb. 22	28.50	Nov. 26	33.10	July 24	31.10
July 27	31.80	Mar. 28	29.50	Dec. 24	33.10	Aug. 28	31.90
Aug. 24	32.30	Apr. 25	28.75	1957		Sept. 15	31.99

Sp 6. State of Indiana. Lincoln State Park. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 5, T. 5 S., R. 5 W. Drilled unused artesian well in rock, diam 4 in, reported depth 83 ft. Lsd, about 475 ft above msl. MP, top of casing on west side, 0.20 ft above lsd. Highest water level 21.52 below lsd, Mar. 21, 1951; lowest 32.90 below lsd, Nov. 23, 30, 1961. Records available: 1944-62.

(daily highest water levels from recorder graph, Mar. 21-Dec. 31, 1962)

1955		1957		1959		1961	
Jan. 26	30.35	Jan. 22	28.90	Jan. 27	24.20	Jan. 23	32.60
Feb. 23	29.25	Feb. 26	25.90	Feb. 23	23.00	Feb. 27	29.70
Mar. 23	25.85	Mar. 25	24.20	Mar. 23	22.90	Mar. 23	25.90
Apr. 27	24.35	Apr. 22	22.20	Apr. 27	23.20	Apr. 27	25.00
May 25	24.75	May 27	23.30	May 26	23.00	May 25	25.20
June 22	27.10	June 24	23.30	June 24	25.50	June 21	27.40
July 27	26.90	July 24	26.10	July 23	26.00	July 26	30.00
Aug. 24	28.55	Aug. 28	27.60	Aug. 25	27.90	Aug. 24	30.90
Sept. 28	29.75	Sept. 24	29.00	Sept. 22	28.10	Sept. 27	31.90
Oct. 26	29.40	Oct. 23	29.40	Oct. 26	28.90	Oct. 25	32.70
Nov. 23	27.85	Nov. 26	27.90	Nov. 23	27.30	Nov. 23	32.90
Dec. 28	26.86	Dec. 26	25.05	Dec. 28	25.90	Dec. 27	31.20
1956		1958		1960		1962	
Jan. 25	26.96	Jan. 27	23.60	Jan. 25	24.40	Jan. 24	29.10
Feb. 22	25.05	Feb. 23	23.40	Feb. 22	22.90	Feb. 28	27.10
Mar. 28	23.60	Mar. 25	22.60	Mar. 22	23.70	Mar. 25	26.13
Apr. 25	23.50	Apr. 21	22.60	Apr. 26	23.30	Apr. 25	25.71
May 21	23.70	May 26	23.00	May 23	23.90	May 25	27.57
June 27	26.85	June 23	24.70	June 20	24.90	June 25	27.72
July 24	28.50	July 23	24.90	July 25	27.20	July 25	h28.72
Aug. 22	29.50	Aug. 27	24.90	Aug. 22	29.00	Aug. 25	e30.56
Sept. 25	30.30	Sept. 24	27.30	Sept. 26	30.30	Sept. 25	29.22
Oct. 23	30.50	Oct. 27	28.10	Oct. 26	31.00	Oct. 25	28.40
Nov. 26	29.90	Nov. 24	28.00	Nov. 22	31.50	Nov. 25	27.25
Dec. 24	29.50	Dec. 24	26.60	Dec. 27	31.20	Dec. 25	27.47

Sp 9. J. Andrew Wetzel. Buffaloville. SW $\frac{1}{4}$ NW $\frac{1}{4}$ sec. 10, T. 5 S., R. 5 W. Dug unused well in rock, diam 48 in, depth 17.24 ft. Lsd, about 450 ft above msl. MP, top of middle board on well cover, 0.00 ft lsd. Highest water level 0.30 below lsd, May 7, 1961; lowest 12.61 below lsd, Jan. 10, 1954. Records available: 1953-62.

1955	Apr. 24	2.10	Aug. 28	5.29	Dec. 25	2,30
Jan. 23	6.76	May 22	3.98	Sept. 25	6.12	1956
Feb. 27	2.04	June 26	4.93	Oct. 23	5.41	Jan. 22 3.07
Mar. 27	2.48	July 24	2.99	Nov. 27	2.50	Feb. 26 2.24